

SUBJECT INDEX FOR VOLUME 6, 1987

PERGAMON PRESS

OXFORD · NEW YORK · BEIJING · FRANKFURT
SÃO PAULO · SYDNEY · TOKYO · TORONTO



POLYHEDRON

The International Journal for Inorganic and Organometallic Chemistry

Editor-in-Chief:
Sir Geoffrey Wilkinson, FRS, *Imperial College of Science and Technology*

Executive Editors:
Rest of the World
D C Bradley, FRS, *Queen Mary College, University of London, Mile End Road, London E1 4NS, U.K.*

U.S.A. and Canada
M H Chisholm, *Department of Chemistry, Indiana University, Bloomington, IN 47405, U.S.A.*

Editorial Board:
E W Abel, *University of Exeter*
F A Cotton, *Texas A & M University*
A H Cowley, *University of Texas at Austin*
I G Dance, *University of New South Wales*
R D Gillard, *University College, Cardiff*
W A G Graham, *University of Alberta*
M L H Green, FRS, *University of Oxford*
N N Greenwood, FRS, *University of Leeds*
W A Herrmann, *Technische Universität München*
R H Holm, *Harvard University*
M B Hursthouse, *Queen Mary College, University of London*
Sir Jack Lewis, FRS, *University of Cambridge*
A Ludi, *University of Berne*
T J Marks, *Northwestern University, Illinois*
S F Mason, FRS, *King's College, University of London*
F Mathey *Équipe CNRS–SNPE*
W McFarlane, *City of London Polytechnic*
J A Osborn, *Université Louis Pasteur*
R J Puddephatt, *University of Western Ontario*
R Schmutzler, *Institut für Anorganische und Analytische Chemie der Technischen Universität, Braunschweig*
B L Shaw, FRS, *University of Leeds*
F G A Stone, FRS, *University of Bristol*
P Stoppioni, *Università Degli Studi di Firenze*
A G Sykes, *University of Newcastle upon Tyne*
J M Thomas, FRS, *The Royal Institution, London*
K Vrieze, *Universiteit van Amsterdam*
K Wade, *University of Durham*
A Yamamoto, *Tokyo Institute of Technology*

Polyhedron Reports and **Polyhedron Symposia-in-Print** Editors:
M H Chisholm, *Indiana University*
B F G Johnson, *University of Cambridge*

Production Supervisor:
S P Clift, *Pergamon Journals Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.*

Publishing, Subscription, and Advertising Offices: Pergamon Journals Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.; or Pergamon Journals Inc., Fairview Park, Elmsford, NY 10523, U.S.A.

Twelve issues per year. Published monthly

Annual Subscription Rates (1988)
Annual institutional subscription rate (1988) DM 1865.00. Two-year institutional rate (1988/89) DM 3543.50. Personal subscription rate for those whose library subscribes at the regular rate (1988) DM 213.00. Prices are subject to change without notice.

Microform Subscriptions and Back Issues
Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1988 Pergamon Journals Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of the copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproduction of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying Information for Users in the U.S.A.

The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for Other Use

The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0277 – 5387/87 $3.00 + .00

VOLUME 6

SUBJECT INDEX

A

Acetates and acetato complexes
  cobalt(II), 1603
  cobalt(III), 2103
  copper(II), 39,1533,1869
  molybdenum(II), 2111
  molybdenum(III), 255
  molybdenum(III,IV), 2181
  nickel(II), 1603
  palladium(II), 1003,1619
  rhodium(II), 461
  ruthenium(II), 1621
  tungsten(III), 255
  uranium(VI), 205,647
  vanadium(I), 1351
Acetic acid, solubilization of gold, 483
Acetonitrile complexes
  cobalt(III), 1875
  iron(II), 1089
  molybenum(II), 2081
  rhenium(II,III), 1483
  ruthenium(II), 1089
  tungsten(II), 2081
  vanadium(I), 1351
2-Acetylpyridine complexes
  platinum(IV), 319
  rhenium(I), 593
  tin(IV), 393
2-Acetylpyridine thiosemicarbazone complexes, copper(II), 39
Actinides, pyrazolone complexes, 2099
Acyl complexes, rhenium(I), 593
Adenine, adenosine complexes
  ruthenium(III), 387
Adenosine mono-, di-, triphosphate complexes, aluminium, 2095
Alamine 336, in solvent extraction of palladium, 1125
Alanine complexes
  cobalt(III), 947
  copper(II), 1669
  iron(III), 969
Alanylprolyl peptide complexes
  copper(II), 45
Alcohol complexes
  copper(II), 881,1319
  nickel(II), 1457
  rhenium(V), 1647
Alcoholamine complexes
  nickel(II), 1279
Aldehyde complexes
  tin(IV), 393
Aldol reaction, copper(II) complexes, 1473
Aliquat 336, in solvent extration of palladium, 1125
Alkenes
  hydrogenation catalysis, iridium(I), rhodium(I) complexes, 1329
  reactions with metal - metal bonds, 763
Alkene complexes
  lanthanides(0), 826
  zirconium(III), 645
Alkoxides and alkoxo complexes
  aluminium, 1791
  indium(III), 507
  molybdenum(III), 255,1677
  tungsten(III), 255,1677,1747
  tungsten(VI), 163,1551,1657
Alkyls
  bismuth(III), 1593
  indium(III), 507
  iron, 2067
  lanthanides(II), 815
  molybdenum, 2067
  molybdenum(III), 255
  niobium(V), 2019
  platinum(IV), 319,549,1157,1261
  rhenium(V), 1169
  rhenium(VII), 1599
  tantalum(V), 2019
  tin(IV), 383,393,587,1037,1639
  titanium(IV), 2019
  tungsten, 2067
  tungsten(III), 255
  tungsten(VI), 1839
Alkylamides
  molybdenum(III), 255,1677
  tungsten(III), 255,1677
O,O′-Alkylenedithiophosphates
  titanium(IV), 1681
Alkylidyne complex
  rhenium(VII), 1599
Alkylimido complexes
  rhenium(V), 1169
  tungsten(VI), 1657
4-(Alkylmercaptomethyl)imidazole complexes, copper(II), 943
N-Alkylphenothiazine complexes
  molybdenum(IV), 465
Alkynes
  reactions with metal - metal

bonds, 763,783
reduction by organolanthanides(II), 822
Alkyne complexes
lanthanides(0), 826
Alkynides, lanthanides(II), 815
Allogon, nickel(II) diphosphine nitrate complex, 1223
Aluminium
adenosine phosphate complexes, 2095
alkoxide, 1791
bromide oxo tungsten(VI) complex, 1839
catecholate diketonate, 525
chloride complexes, 975
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
magnesium hydroxide, 1587
magnesium oxide, 1791
Schiff base siloxy thiolate compounds, 1097
trimethyl, reactions with phosphazenes, 132
Americium(III) pyrazolone complexes, 2099
Amide complexes
cobalt(II), 1235
cobalt(III), 1875
copper(II), 1053,1399,1669
iron(I), 1497
ruthenium(III), 1009
tin(IV), 1037
uranium(VI), 647
vanadium, 1445
vanadium(IV), 841
Amidinate complex
iridium(III), 1625
Amidophosphazene complexes
iridium(I), rhodium(I), 1999
Amine complexes
borane, 1183
Co(II), Ir(I),(III), 921
iron(II), 1089
molybdenum(0), 1523
molybdenum(IV), 465
nickel(II), 921,1279
palladium(II), 921
platinum(II), 85,225,921
rhodium(I),(III), 921
ruthenium(II), 1089
tungsten(VI), 163,1657
zinc, 1111
Aminoacid complexes
on cellulose, 1197
aluminium, cadmium, calcium, 1197
cobalt(II), 633,1197,2037,2053
cobalt(III), 105,651,947
copper(II), 633,845,1197,1669, 2037,2053
iron(III), 969,1197
magnesium, 1197
manganese(II), 2037,2053
mercury, 1197
nickel(II), 633
palladium(II), 1391
zinc, 633,1197
Aminoalkylphenothiazine complexes
molybdenum(IV), 465
Aminoarsines, reactions with diarsines, 1229
Aminodicarboxylate, tin(IV), 1639
2-Aminomethylpyridine complexes
borane, 1183
2-Aminophenoxides
molybdenum(0), 1523
molybdenum(VI), 275
tungsten(VI), 275
Aminophosphine complexes, 2009
Aminopolycarboxylate complexes
beryllium, 1364
on cellulose, 1197
cobalt(III), 1571
copper(II), europium(III), iron(III), lanthanum, lithium, 1971
palladium(II), 571
platinum(II), 571
ruthenium(III), 603
Aminopolyphosphonate complex
manganese(II), 403
2-Aminopyridine complexes
borane, 1183
2-Aminopyrimidine complexes
borane, 1183
copper(II), 855
2-Aminothiophenoxides
bismuth(III), 1593
molybdenum(0), 1533
Ammines
chromium(III), 1153,1239
cobalt(III), 1337,1343,1347, 1563,1571,1929
iridium(III), 1347
iron(II),(III), 1191
molybdenum(VI), 275
palladium(II), 79,225
platinum(II), 85,225
rhodium(III), 1347
ruthenium(II), 159
ruthenium(II,III), 1711
tungsten(VI), 275
Angular overlap parameters
cobalt(III) aminoacid complexes, 947
ruthenium(II) dipyridyl complexes, 1621
Aniline complexes
palladium(II), 1059
platinum(II), 85
Aniline-2-carboxylate complexes
molybdenum(VI), 275
tungsten(VI), 275
4-Anisyl, tellurium(IV), 219
Antimony(III)
dithiocarbamate phenyl compounds, 411
Antimony(V)
carboxylate phenyl compounds, 1161
dithiocarbamate phenyl compounds, 411
organo compounds, book review, 660
Arabinose compounds
tin(IV), 383
Arene complexes
chromium(I), 2151
ruthenium(II), 473
Arginine complexes
copper(II), 1669
Arsenate, calcium, 1049
Arsenic complexes
cobalt, nickel, 1491

Arsenic(III) alkyl dialkylamido
compounds, 1229
Arsenic(V) hydroxyapatite, 1049
Arsine complexes
gold(I), 1255
iridium(III), 921,1255
manganese(II), 1699
palladium(II), 921,1619
Pt(II), Rh(I), 921
rhodium(III), 921,1255
ruthenium(II), 1255,1383
Arsine oxide complexes
iron(II), 1325
Aryls
antimony(III), 411
antimony(V), 411,1161
bismuth(III), 1593
lanthanides(II), 817
palladium(II), 1003
phosphorus(III), 915
rhenium(V), 1169
silicon, 435
tellurium(IV), 219
tin(IV), 393,397,587,1037
titanium(IV), 2019
Arylimido complexes
chromium(IV), iron(III), 2191
tungsten(VI), 163
Arylphosphido complexes
lithium, 987
Asparagine complexes
iron(III), 969
Azide complexes
ruthenium(II), 1621
vanadium(I), 1351
Azine complexes, cobalt(II), 1075
Azobenzene, reduction by organo-
lanthanides(II), 822
Azole complexes
cadmium, 1477
cerium(IV), 285
cobalt(II), 1477,1843,1993
cobalt(III), 1347,1563
copper(II), 943,1149
iridium(III), 1347
mercury, 1209
nickel(II), 1457,1477,1843
platinum(II), 85,341
rhodium(III), 1347
ruthenium(III), 1009
uranium(VI), 285
vanadium(IV), 455
zinc, 1209,1477

B

Bamboo, use in solubilising gold
and silver, 483
Barium
crown amine-ether carboxylate
complexes, 29
crown ether complexes, 535
phosphinedicarboxylate water
complex, 1407
Benzaldehyde semicarbazone, thio-
semicarbazone complexes,
aluminium, 1097
Benzene-1,2-dioxydiacetates
Ca,Co,Mg,Mn,Ni,Zn, 871
1,2-Benzenediselenolate
bismuth(III), 1593
1,2-Benzeneditellurolate
hafnium(IV), 1923
1,2-Benzenedithiolate
bismuth(III), 1593
Benzo-18-crown-6 complex
hydrogen ion, 1469
Benzoate
indium(III), 507
7,8-Benzoquinoline complexes
palladium(II), 1243
1-Benzoylacetonates
iron(II),(III), 1421
2-Benzoylpyridine complexes
tin(IV), 393
Benzyls
rhenium(V), 1169
tin(IV), 1037
titanium(IV), 2019
(Benzylthio)acetates
cadmium, zinc, 881
Beryllium
aminopolycarboxylates, 1364
hydroxide iminodiacetate
complexes, 303
Bicarbonate complexes
ruthenium(II), 1621
Bicyclo[2.2.1]-hepta-2,5-diene
complexes, rhodium(I), 1427
Biphenyl complex
chromium(I), 2151
Bipyrimidine complexes
lanthanides, 175
palladium(II), rhodium(I), 1427
1,1'-Bis(aminomethyl)ferrocene,
1243
1,6-Bis(benzimidazol-2-yl)-2,5-
dioxahexane complex,
copper(II), 1149
1,7-Bis(benzimadozol-2-yl)-2,6-
dithiaheptane complexes,
cobalt(II), nickel(II), 1843
1,6-Bis(benzimadozol-2-yl)-2,5-
dithiahexane complexes,
cobalt(II), nickel(II), 1843
Bis(dimethylarsino)sulphide
complexes, Au(I), Rh(III),
Ru(II), 1255
1,2-Bis(dimethylphosphino)ethane
complexes,
iron(II), 1089
mercury, 655
molybdenum(III), 255
molybdenum(IV), 1741
ruthenium(II), 1089
tungsten(III), 255
vanadium(0),(I), 1351
1,4-Bis(diphenylarsine oxide)but-
ane complexes, iron(II), 1325
1,2-Bis(diphenylarsine oxide)eth-
ane complexes, iron(II), 1325
Bis(2-diphenylarsinoethyl)benzyl-
amine complexes, 921
1,4-Bis(diphenylphosphine oxide)-
butane complexes, iron(II),
1325
1,2-Bis(diphenylphosphine oxide)-
ethane complexes, iron(II),
1325
1,6-Bis(diphenylphosphine oxide)-
hexane complexes, iron(II),
1325
2,3-Bis(diphenylphosphino)butane
complexes
molybdenum(II), 715
rhenium(III), 715

1,2-Bis(diphenylphosphino)ethane complexes
manganese(I), 1879
molybdenum(II), 715
palladium(II), 1261
platinum(II), 1261
rhenium(II),(II,III),(IV), 1483
ruthenium(0), 1709
1,2-Bis(diphenylphosphino)ethanediselenide complexes, tellurium(IV), 219
1,2-Bis(diphenylphosphino)ethene complexes,
osmium(II), 1131
rhenium(II), 907,1483
rhenium(II,III), 1483
rhenium(III), 907,1925
rhenium(IV), 1483
ruthenium(II), 1131
Bis(diphenylphosphino)ether complexes, molybdenum(II), 1103
Bis(2-diphenylphosphino)ethylamine complexes, Ir(III),Pd(II), Pt(II), Rh(I),(III), 1727
Bis(2-diphenylphosphinoethyl)benzylamine complexes, 921
1,2-Bis(diphenylphosphino)ethyne complexes, rhenium(III), 1925
1,1′-Bis(diphenylphosphino)ferrocene complexes, ruthenium(II), 473
Bis(diphenylphosphino)methane complexes
Bis(diphenylphosphino)methane complexes
iridium(I), 111
manganese(I), 111,1879
mercury, 655
molybdenum(II), 95,261,1103
rhodium(I), 111
ruthenium(II), 473
tungsten(II), 1135
Bis(diphenylphosphinomethyl)dimethylsilane complex, nickel(II), 1223
1,2-Bis(diphenylphosphino)propane complexes
mercury, 655
molybdenum(II), 715
Bis[di-(4-tolyl)phosphino]ether complexes, molybdenum(II), 1103
1,1′-Bis(3-methyl-5-oxo-2-aza-3-hexenyl)ferrocene, 1243
Bis(methylseleno)methane complexes, chromium(0), tungsten(0), 1785
Bis(methylthio)methane complexes chromium(0), tungsten(0), 1785
Bismuth(III)
aminothiophenoxide bromide diselenolate dithiolate methyl phenyl complexes, 1593
chloride iron(0) complex, 2031
Bis(pentane-2,4-dione)ethylenediimine complexes
cobalt(III), 995
1,7-Bis(2-pyridyl)-2,6-dithiaheptane complexes, copper(II), 943
1,6-Bis(2-pyridyl)-2,5-dithiahexane complexes, copper(II), 943
1,8-Bis(2-pyridyl)-3,6-dithiaoctane complexes, copper(II), 943
2,3-Bis(2-pyridyl)pyrazine complexes, Cr(0),Mo(0),W(0), 1673
Bis(salicylaldehyde)ethylenediimine complexes, cobalt(III), 995
Biuret complexes
vanadium(IV), 841
Book reviews
antimony(V) organo compounds, 660
carbosilanes, 659
clusters, 347
copper organo compounds, 1716
organometallic chemistry, 1716, 2035
periodic table, 659
structural methods, 1715
tin(IV) organo compounds, 660
titanium organo compounds, 660
Borane, reactions with amines, pyridines, pyrimidines in water, 1183
Boranes, electron diffraction, 1849
Borane anions, polyhedral, 619, 2129
Borate esters, spiro type, 2119
Borohydride complexes, 1936
uranium(III), 189
Boron
carbohydrate complexes, 1415
in heteropolymolybdate, 519
Bromate, reaction with diaminoazobenzene, 2137
Bromate complexes
ruthenium(II), 1621
Bromides and bromo complexes
aluminium, 1839
bismuth(III), 1593
cobalt(II), 921,1075
cobalt(III), 1563,1571
copper(II), 1149,1399
iridium(I), 111
iron(II), 1325
lanthanum, 1021
manganese(I), 111,1879
manganese(II), 1075
mercury, 543
molybdenum(0), 1781
molybdenum(II), 715,729,1103
nickel(II), 921,1075,1407
palladium(II), 225,1003,1065
platinum(II), 85,225,1065
platinum(IV), 319,1261
rhenium(I), 593,1255
rhenium(II), 729,1483
rhenium(II,III), 1483
rhenium(III), 715,907
rhenium(IV), 1483
rhenium(V), 1169
rhodium(I), 111,1503
rhodium(III), 1885
ruthenium(II), 1383,1621
selenium(II), 849
thallium(III), 315
tungsten(0), 1781
tungsten(II), 729
tungsten(VI), 1839
vanadium(IV), 455
zinc, 1075
zirconium(III), 645
2-Bromobenzoate
chromium(III), 1153
9-Bromo-1,2-dicarba-closo-decaborane(11), 1559
Bromophenylhydrazine, 1577

4-Bromothiophenoxide, iron, 1445
α-Bromovalerate, copper(II), 1203
2,3-Butanediol, catalytic hydrogenation, 2187
Butanethiolates, iron, 2085
Butaperazine complexes
molybdenum(IV), 465
i-,n-,s-Butoxides
copper(II), zirconium(IV), 427
t-Butoxides
copper(II), 427
indium, 507
molybdenum(III), 255
tungsten(III), 255
tungsten(VI), 1551
zirconium(IV), 427
Butyls
indium(III), 507
tin(IV), 383,587,1037
t-Butylamine complexes
tungsten(VI), 163,1657
4-t-Butylbenzoate complexes
rhodium(II), 461
n-Butyl(cyanoethyl)dithiocarbamate, antimony(III), 411
t-Butylidyne complexes
molybdenum(III), 255
tungsten(III), 255
t-Butylimido complexes
rhenium(V), 1169
tungsten(VI), 1657
t-Butylisocyanide complexes
tungsten(VI) 1657
t-Butylthiolate, iron(-I), 1147
Butyrate, rhodium(II), 461
N-iso-Butyroyl-L-lysine complexes
Co,Cu,Ni,Zn, 633

C

Cadmium
carboxylate thioether water complex, 881
chloride hydrazone complexes, 1075
chloride Schiff base complex, 1319
crown amine - ether carboxylate complexes, 29
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
glycylglycine imidazole pyridoxamine complexes, 1477
hydroxycarboxylates, 1517
nitrilotri(methylenephosphonate)complexes, 1247
phosphine oxide quinoline complexes, 963
Schiff base thiolate complexes, 1653
Caesium
crown ether complexes, 417
Calcium
arsenate hydroxide, 1049
catecholdicarboxylate water complexes, 871
crown amine - ether carboxylate complexes, 29
crown ether complexes, 535
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
Californium(III) pyrazolone complexes, 2099
Carbaboranes
electrophilic substitutions, 1981
halogenation, 1737
PE spectra, 1559
Carbazol-9-yl complexes
Eu(II), Yb(II), 1143
Carbohydrate compounds
boron, 1415
tin(IV), 383
Carbonate complexes
cobalt(III), 651,1343
ruthenium(II), 1621
Carbon monoxide, reduction by organolanthanides(II), 821
Carbonyl complexes
chromium(0), 503,1673,1785
chromium(I), 759
iridium(I), 111,1999
iridium(III), 1727
iron, 1445,2067
iron(0), 1959,2031
iron(-II), 1273
iron(II), 1703
manganese(I), 111,1879
molybdenum, 2067
molybdenum(0), 503,1673,1781, 1797
molybdenum(I), 759
molybdenum(II), 95,261,1103, 2081
palladium(0), 1987
platinum(II), 85
rhenium(I), 593,1255
rhodium(I), 111,1427,1987,2073
ruthenium(II), 837,1255,1851, 2009
ruthenium(III), 2009
tungsten, 2067
tungsten(0), 337,503,1673,1781, 1785,1797
tungsten(I), 759
tungsten(II), 1135,2081
vanadium(0),(I), 1351
Carborane - phosphazenes, 131,146
Carbosilanes, book review, 659
Carboxylate complexes
antimony(V), 1161
barium, 29
cadmium, 29,881
calcium, 29
chromium(III), 1153
cobalt(II), 29,1603
cobalt(III), 2103
copper(II), 29,39,53,855,881, 1203,1533,1869
indium(III), 507
iron(II), 29,53
iron(III), 2155
lead, lithium, 29
magnesium, 29
manganese(II), 29,1699
molybdenum(0), 1523
molybdenum(II), 1523,2111
molybdenum(III), 255,1523
molybdenum(III,IV), 2181
molybdenum(VI), 273
nickel(II), 29,1603
palladium(II), 1003,1619
potassium, 29
rhodium(II), 461

ruthenium(II), 1621
sodium, strontium, 29
tellurium(IV), 219
thallium(I), 401
tin(IV), 397,587
tungsten(III), 255
tungsten(VI), 273
uranium(VI), 647
vanadium(I), 1351
zinc, 29,53,881
2-Carboxylatoquinoline complexes
Mo(VI), W(VI), 273
Catecholamine, 25
Catecholate complexes
aluminium, 525
copper(II), 53,845
Fe(II), Zn, 53
Catecholdicarboxylates, 871
CD spectra
chromium(III) diimine complexes, 105
cobalt(III) aminoacid complexes, 105
cobalt(III) diketonates, 583
cobalt(III) substitutions, 651
copper(II) peptide complexes, 45
molybdenum(II), rhenium(III) diphosphine halide complexes, 715
Cellulose, functionalised for metal complex formation, 1197
Cerium(III)
bipyrimidine nitrate complexes, 175
Cerium(IV)
azole nitrate sulphate complexes, 285
heteropolytungstate, 519
Chirality,
chromium(III) diimine,
cobalt(III) aminoacid complexes, 105
quadruply bonded complexes, 715
Chloride, reaction with
iridium(III) complex, 101
Chlorides and chloro complexes
aluminium, 975
bismuth(III), 2031
cadmium, 1075,1319
chromium(III), 1239
chromium(VI), 1721,2145
cobalt(II), 897,921,1075,1843
cobalt(III), 1337,1563,1875
copper(II), 39,897
europium(III), 175
gold(I), 1255
gold(III), 2077
holmium, 175
iridium(I), 111,2009
iridium(III), 921,1509,1727, 1885,2009
iron, 1445
iron(II), 1089,1325
iron(III), 969
lanthanum, 175,1021
lead(II), 563
magnesium, 975
manganese(I), 111
manganese(II), 897,1075,1699
mercury, 543,1075,1781
molybdenum(0), 1781
molybdenum(II), 715,729,2081, 2111
molybdenum(IV), 1741
molybdenum(V), 668
nickel(II), 897,921,1075,1407, 1457,1843,2009
niobium(V), 668
osmium(II), 1131
osmium(II,III), 1439
osmium(IV), 1695
palladium(II), 225,319,447,571, 921,1003,1059,1065,1391,1427, 1727,1797,2009
platinum(II), 85,225,571,921, 1065,1295,1727,1797,1803
platinum(IV), 319,1261
rhenium(-I), 1577
rhenium(I), 1255,2073
rhenium(II), 729,907,1483
rhenium(II,III), 1483
rhenium(III), 715,907,1925
rhenium(IV), 1483,1647
rhenium(V), 668,1169,1647
rhenium(VI), 1647
rhodium(I), 111,1427,2009,2027
rhodium(III), 921,1009,1255, 1727,1885,2009
ruthenium(II), 473,837,1089, 1131,1255,1383,1621,1851,2009
ruthenium(II,III), 1711
ruthenium(III), 1009,1875,2009
selenium(II), 849
silver(I), 1695
tantalum(III),(IV), 741
tantalum(V), 1765
tellurium(IV), 219
thallium(I), 1721
thallium(III), 479
tin(II), 71
tin(IV), 393,1037
titanium(IV), 1681
tungsten(II), 729,2081
tungsten(III), 729
tungsten(V), 668
tungsten(VI), 163,1657
uranium(VI), 285,647
vanadium(II), 1433
vanadium(IV), 455
vanadium(V), 1807
ytterbium, yttrium, 175
zinc, 1075,1111
zirconium(III), 645
Chloroacetate complexes
cobalt(II), nickel(II), 1603
9-Chloro-1,2[&1,7]-dicarba-closo-decaborane(11), 1559
4-Chlorophenylimide complexes
iron(III), 2191
Chlorophosphazenes, cyclic, 125
4-Chloropyridine-N-oxide complexes, thallium(III), 315
4-Chlorothiophenoxide, iron, 1445
Chlorpromazine complexes
molybdenum(IV), 465
Chromate, reaction with
diaminoazobenzene, 2137
Chromium(0)
carbonyl complexes, 503
carbonyl diimine complexes,1673
carbonyl selenoether thioether complexes, 1785
phosphazene complexes, 138
phosphorus cluster complexes, 364,369,373

Chromium(I) biphenyl complex, 2151
Chromium(II)
heteronuclear metal - mtal bonds, 793
oxidation by molybdenum(III), 1975
phosphazene complexes, 140,143
Chromium(III)
ammine carboxylate complexes, 1153
ammine chloride water complexes, 1239
dehydroacetic acid complex, 1235
diimine complexes, 105
porphyrin water complex, 1361
Chromium(IV)
arylimido porphyrin complex, 2191
Chromium(VI)
chloride oxo complex, 2145
reaction with thallium(I), 1721
CNDO/2 calculations, transition metal complexes, 1215
Cobalt
metallaboranes, 1937,1942,1953
phosphorus cluster complex, 371
triphosphine tripnictide/-chalcogenide complexes, 1491
Cobalt(0)
phosphinoalkyne complexes, 151
phosphorus cluster complexes, 355,373,376,379
Cobalt(0,I)
phosphorus cluster complex, 360
Cobalt(I)
phosphazene complexes, 142
phosphite mercury(I) complexes, 543
phosphorus cluster complex, 356,359,363,366,372,378
Cobalt(II)
amide dehydroacetic acid complex, 1235
amine halide phosphine complexes, 921
aminoacid complexes, 633,2037, 2053
aminophosphine chloride complexes, 2009
azine halide hydrazone thiocyanate complexes, 1075
azole chloride thioether complexes, 1843
azole phenoxide complex, 1993
carboxylate diamine water heterobinuclear complexes, 1603
catecholdicarboxylate water complexes, 871
crown amine - ether carboxylate complexes, 29
cyanide complexes, 1909
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
diaminoazobenzene complex, 2137
dioxygen porphyrin pyridine complex, 1071
glycylglycine imidazole pyridoxamine complexes, 1477
heterobinuclear complexes, 897
in heteropolytungstate, 1513
hydroxycarboxylates, 1517
oxime Schiff base complexes, 205
phosphazene complexes, 137,142
phthalocyanines, 1463
pyrimidine Schiff base complexes, 2103
salicylaldiine Schiff base complexes, 1319
sulphite complexes, 1717
water complex in borane - amine reactions, 1183
Cobalt(III)
acetate pyrimidine Schiff base complexes, 2103
acetonitrile chloride dimethylformamide macrocyclic tetramine sulphonate complexes, 1875
aminoacid complexes, 105,947
ammine carbonate complexes, 1343
ammine bromide complex, 1571
ammine chloride sulphoxide water complexes, 1337
ammine cyanide water iron(III) complex, 1929
ammine water complex, 1571
carbonate ethylenediamine glycine oxalate complexes, 651
diamine hydroxoaqua nitrite thiocyanate complexes, 181
diketonates, 583
ethylenediaminetetraacetate complex, 1571
halide nitrite pseudohalide complexes, 1563
in heteropolymolybdates, 1343
ketoimine pyridine salicylaldimine complexes, 995
Cone packing model, lanthanide complexes, 1041
Coordination saturation lanthanide complexes, 1041
Copper
organo compounds, book review, 1716
Copper(I)
organo compounds, reactions with phosphazenes, 131
phosphorus cluster complexes, 377
Copper(II)
alkoxide zirconium compounds, 427
amide aminoacid dioxane pyridine salicylaldimine sulphoxide water complexes, 1669
amide bromide complexes, 1399
amide diamine pyridine triamine complexes, 1053
aminoacid complexes, 633,2037, 2053
aminoacid catecholate phenanthroline complexes, 845
aminopolycarboxylate phenoxide water heterobinuclear complexes, 1971
azole bromide ether complex, 1149

azole pyridine thioether complexes, 943
bromovalerate, 1203
carboxylate catecholate complexes, 53
carboxylate ethanol complexes, 881
carboxylate ether pyrimidine water complexes, 855
carboxylate terpyridine water complexes, 1533
carboxylate water complexes, 1869
crown amine - ether carboxylate complexes, 29
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
dehydroacetic acid complex, 1235
diaminoazobenzene complex, 2137
diketonate, triketonate complexes, 1473
ethanol salicylaldimine Schiff base water complex, 1319
heterobinuclear complexes, 897
heteropolymolybdates, 213
hydroxycarboxylates, 1517
ketoimine macrocycle polyamine pyridine Schiff base complexes, 2169
macrocyclic Schiff base complexes, 289
macrocyclic tetramine complexes, 1291
nitrilotri(methylenephosphonate)complexes, 1247
nitrosoalkylhydroxylamine complexes, 1375
nitrosoresorcinol complexes, 1033
oxime Schiff base complexes, 205
peptide complexes, 45
phosphazene complexes, 136
phthalocyanines, 1463
pyridine thiosemicarbazone complexes, 39
salicylaldoxime complexes, 197
tetrasalicylaldimine complexes, 513
15-Crown-5 in halophosphine synthesis, 1295
Crown amine - ether complexes
Ba,Ca,Cd,Co,Cu,Fe,K,Li,Mg,Mn, Na,Ni,Pb,Sr,Zn, 29
Crown ether complexes
Ba,Ca, 535
caesium, 417
hydrogen ion, 1469
potassium, 417,577
silver, 535
sodium, 417
strontium, 435
uranium(III),(VI), 189
Curium(III) pyrazolone complexes, 2099
Curtius rearrangement, siloxane synthesis, 435
Cyanide complexes
cobalt(II), 1909
cobalt(III), 1563,1929
iron(0), 1191
iron(II), 159
iron(III), 1929
manganese(II), 1909
molybdenum(IV), 269
nickel(II), 1407
palladium(II), 79
ruthenium(II), 1383,1621
tungsten(V), 641
vanadium(I), 1351
4-Cyanopyridine complexes
iron(II), 159
4-Cyanopyridine-N-oxide complexes
thallium(III), 315
Cyclam complexes
cobalt(III), ruthenium(III), 1875
Cyclic voltammetry
chromium(0) carbonyl diimine complexes, 1673
cobalt(II) pyrimidine Schiff base complexes, 2103
cobalt(III) ammine imidazole complexes, 1347
cobalt(III) Schiff base complexes, 995
copper(II) macrocyclic tetramine complexes, 1291
ferrocene ketoimine palladium(II) complex, 1243
heterobinuclear complexes, 897, 1243
iridium(III) ammine imidazole complexes, 1347
iron thio thiophenoxide molybdenum(VI) complex, 1445
iron(II),(III) diketonates, 1421
molybdenum(0) carbonyl diimine complexes, 1673
molybdenum(VI) disulphide thio iron complex, 1445
nickel(II) dithiolate complexes, 863
osmium(II,III) chloride oxopyridine complex, 1439
rhenium(I) acylpyridine bromide carbonyl complexes, 593
rhenium(II),(II,III) diphosphine halide nitrile complexes, 1483
rhenium(III) diphosphine halide complexes, 907,1925
rhenium(V) chloride oxo phenoxide salicylaldimine complexes, 1647
rhodium(III) ammine imidazole complexes, 1347
ruthenium(II) chloride cymene diphosphine dipyridyl pyrazine complexes, 473
ruthenium(III) ethylenediaminetetraacetate mercaptopyridine complexes, 603
tungsten(0) carbonyl diimine complexes, 1673
Cyclobutyldithiocarbamate antimony(III), 411
Cycloheptatrienyl complexes thallium(III), 479
Cyclohexaphosphate, 531
Cyclohexoxide tungsten(III), 1747
Cyclohexyl, tin(IV), 587

Cyclohexylthioglycolate complexes
thallium(I), 397
Cyclometallated complexes
palladium(II), 1003,1243,1619
Cyclometallathiazine complexes
platinum(II), 2165
1,5-Cyclooctadiene complexes
iridium(I), 1329
rhodium(I), 1329,1427
Cyclooctaphosphate, 531
Cyclooctatetraene complexes
lanthanides(0), 829
lanthanides(II), 808
Cyclopentadienyl complexes
chromium(I), 759
hafnium(IV), 1923
iron(0), 2031
iron(II), 1243,1703
lanthanides(II), 808,818
molybdenum, 2067
molydenum(I), 759
rhenium(VII), 1165
rhodium(III), 1255
ruthenium(II), 1383
tungsten, 2067
tungsten(I), 759
Cyclopentadienyl(diphenyl)phosphine, cyclopentadienylphosphine, 1797
Cyclopentyldithiocarbamate
antimony(III), 411
Cyclopolyphosphates, 531,1863
Cyclotetraphosphine, 1295
p-Cymene complexes
ruthenium(II), 473
Cysteine, reaction with
molybdenum(IV) complexes, 465
Cysteine complexes, on cellulose, 1197
Cysteinesulphinate complex
cobalt(III), 105
Cytidine, cytosine complexes
ruthenium(III), 387

D

Dehydroacetic acid complexes
Cr(III), Co(II), Cu(II) Ni(II), 1235
1,4-Diacetylbenzenebishydrazone
complexes, Cd,Hg,Mn,Ni,Zn, 1075
1,3-Diacetyl-2-hydroxy-5-methylbenzene complexes, 897
Diamagnetic anisotropy, metal - metal bonds, 1677
Diamine complexes
cobalt(II), 1603
cobalt(III), 181,651
copper(II), 1053
lithium, 987
molybdenum(III), 255
nickel(II), 1603
palladium(II), 225
platinum(II), 225
ruthenium(II), 837,1621
tungsten(III), 255
tungsten(VI), 1657
uranium(VI), 205
Diaminoazobenzene complexes, 2137
1,2-Diaminocyclohexanetetraacetate complexes, palladium(II), platinum(II), 571
1,2-Diaminopropane complexes
copper(II), 1053
1,2-Diaminopropanetetraacetate
complexes, palladium(II), platinum(II), 571
Diarsines, reactions with
aminoarsines, 1229
Diarsine complexes
rhenium(I), 1255
Diazabutadienes, complexes and reactions with $PdCl_2$, 1059
Diazadiphosphacyclopentanones, 1823
Diazenide complexes
rhenium(-I), 1577
Diazoalkanes, reactions with
metal - metal bonds, 768
Dibenzo-13-crown-10 complexes
Ag,Ba,Ca,Sr, 535
Dibenzo-21-crown-7 complexes
hydrogen ion, 1469
Dibenzo-30-crown-8 complexes
hydrogen ion, 1469
Dibenzo-30-crown-10 complexes
potassium, 577
Dibenzoylmethanides
iron(II),(III), 1421
Dibenzyldithiocarbamates
antimony(III), 411
Di-i,n-butyldithiocarbamates
antimony(III), 411
2,6-Di-t-butyl-4-methylphenoxides
europium(II), 1143
ytterbium(II), 1143
2,6-Di-t-butylphenol, oxidation catalysed by cobalt(II) complexes, 2103
2,6-Di-t-butylphenoxide
tantalum(V), 1765
Di-i,n,t-butylsulphoxide
complexes,
nickel(II), 1313
uranium(VI), 1913
1,2[&1,7]-Dicarba-closo-decaborane(12), 1559
4,5-Dicarba-arachno-heptaborane-(13), 1737
10,10-Dicarboxyethyl-1,4,8,12-tetraazacyclopentadecane
complexes, copper(II), 1291
Dicarboxylates
cobalt(III), 651
palladium(II), 447
Dichloroacetates, cobalt(II), nickel(II), 1603
Dichloromethane, solvent for
cyclic voltammetry, 1421
1,1-Dicyanoethene-2,2-diselenolate complexes, technetium(V), 1547
1,2-Dicyanoethene-1,2-dithiolate
bismuth(III), 1593
Dicyclohexyl-27-crown-9 complexes
hydrogen ion, 1469
Dicyclohexyl-30-crown-10
complexes, hydrogen ion, 1469
Didecylsulphoxide complexes
uranium(VI), 1913
Dielectric constant
vanadium(V) chloride oxo pyridylthiourea complexes, 1807
Diels - Alder addition, cyclopentadienylphosphine, 1797
Diene complexes

iridium(I), 1329,1999
rhodium(I), 1329,1427,1999
2-Diethylaminoethanol complexes
nickel(II), 1279
Diethyldithiocarbamates
antimony(III),(V), 411
iron(I), 1497
molybdenum(II), 1523
ruthenium(II), 1383
Diethyldithiophosphate
titanium(IV), 1681
tungsten(IV), 1115
Diethylenetriamine complexes
copper(II), 1053
Diethylether complexes
tantalum(V), 1765
Di-2-ethylhexyldithiocarbamates
antimony(III), 411
Diethyl malonate, reaction with
copper(II) tetramine complex,
1291
Differential pulse electrochemistry, copper(II) tetrasalicylaldimine complexes, 513
Difluoro-(2-methoxyphenyl)phosphine complexes, Pt(II), 1295
1,4-Diformylbenzenebishydrazone
complexes, Cd,Hg,Mn,Ni,Zn, 1075
Diglycolate, tin(IV), 1639
Diheptylsulphoxide, dihexylsulphoxide complexes,
uranium(VI), 1913
3,4-Dihydroxycinnamic acid
complexes, Cu,Fe,Zn, 53
Dihydroxyethyldithiocarbamates
antimony(III), 411
2,3-Dihydroxynaphthalene
complexes, copper(II), 845
Diimine complexes
chromium(0), 1673
chromium(III), 105
copper(II), 845
manganese(I), 1879
molybdenum(0), 1673,1781
neodymium(III), 957
palladium(II), 1427
praseodymium(III), 957
rhodium(I), 1427,2187
ruthenium(II), 1383,1621
ruthenium(III), 651,1009
sodium, 1833
tungsten(0), 1673,1781
tungsten(VI), 1657
4,4′-Diisocyanobiphenyl complex
rhodium(I), 2027
Diketonates
aluminium, 525
cobalt(III), 583
copper(II), 1473
indium(III), 507
iron(II),(III), 1421
magnesium, 1791
manganese(III), 2003
nickel(II), 497
ruthenium(II), 1383,1621
Dimethoxybenzoates
copper(II), 1869
1,4-Di(4′-methoxy)phenyl-2,3-dimethyl-1,4-diazabutadiene
complex, palladium(II), 1059
Dimethylamides
molybdenum(III), tungsten(III),
255
2-Dimethylaminoethanol complexes
nickel(II), 1279
2-Dimethylarsinobenzoate
manganese(II), 1699
Dimethylbarbituric acid complexes
cobalt(II),(III), 2103
N,N-Dimethylbenzylamine complexes
palladium(II), 1243
2,3-Dimethylbutanediolates
molybdenum(III), 1677
tungsten(III), 1677
5,5′-Dimethyl-2,2′-dipyridyl
complexes, chromium(III), 105
4,4-Dimethyl-1,2-diselenacyclopentane complex,
rhenium(I), 2073
Dimethyldithiocarbamates
nickel(II), 497
Dimethyldithiophosphate
iron(I), 1497
N,N′-Dimethylethylenediamide
complexes, molybdenum(III),
tungsten(III), 1677
N,N′-Dimethylethylenediamine
complexes, molybdenum(III),
tungsten(III), 255
1,1′-Dimethylferrocene, 943
Dimethylformamide, solvent for
crown ether complexes, 535
Dimethylformamide complexes
cobalt(II), 1235
cobalt(III), 1875
copper(II), 1053,1399
iron(I), 1497
ruthenium(III), 1009
uranium(VI), 647
vanadium, 1445
Dimethyl(methylthio)arsine
complexes, Au(I), Rh(III),
Ru(II), 1255
Dimethyl(phenyl)phosphine
complexes,
palladium(II), 1541
platinum(II), 1541,2165
rhenium(V), 1647
Dimethylsulphoxide, solvent
crown ether complexes, 535
cyclic voltammetry, 1421
Dimethylsulphoxide complexes
cobalt(III), 1337
copper(II), 1669
nickel(II), 1313
tin(IV), 1037
2,5-Dimethylthiophenoxide
rhenium(-I), 1577
Dimethylthiourea complexes
ruthenium(II), 837
2,4-Dinitrosoresorcinol complexes
copper(II), 1033
Dinonylnaphthalenesulphonate
complexes, mercury, zinc, 1209
Dinonylsulphoxide complexes
uranium(VI), 1913
Di-n-octylphosphinate complexes
nickel(II), 1251
Dioctylsulphoxide complexes
uranium(VI), 1913
Dioxane complexes
copper(II), 1669
Dioxygen complexes
cobalt(II), 1071
Di-i-pentylsulphoxide complexes
uranium(VI), 1913

Diphenoxy(phenyl)phosphine
complexes, rhodium(I), 1503
2-Diphenylarsinobenzoate
manganese(II), 1699
1,4-Diphenyl-2,3-dimethyl-1,4-di-
azabutadiene, 1059
Diphenyl(methoxy)phosphine
complexes, rhodium(I), 1503
Diphenyl(methyl)phosphine
complexes,
palladium(II), 1541
platinum(II), 1541,2165
tungsten(VI), 1657
Diphenyl(nitro)formazones, 13
2,6-Diphenylphenoxides
Nb(V),Ta(V),Ti(IV), 2019
Diphenyl(phenoxy)phosphine
complexes, rhodium(I), 1503
Diphenylphosphide complexes
lithium, 987
Diphenylphosphine complexes
manganese(I), 1879
(2-Diphenylphosphinoethyl)benzyl-
amine complexes, Co,Ir,Ni,Pd,
Rh,Ru, 2009
Diphenyl(i-propoxy)phosphine
complexes, rhodium(I), 1503
Diphenylthiocarbazone, 13
Diphenylthiocarbazone complexes
molybdenum(0), 1523
Diphosphine complexes
dimeric, review, 729
iridium(I), 111
iron(II), 1089
manganese(I), 111,1879
mercury, 655
molybdenum(0), 1797
molybdenum(II), 95,715,729,1103
molybdenum(III), 255
molybdenum(IV), 1741
nickel(II), 1223
osmium(II), 1131
palladium(II), 1261,1797
platinum(II), 1261,1797
rhenium(II), 729,907,1483
rhenium(II,III), 1483
rhenium(III), 715,907,1925
rhenium(IV), 1483
rhodium(I), 111
ruthenium(0), 1709
ruthenium(II), 473,1089,1131
tungsten(0), 1797
tungsten(II), 729,1135
tungsten(III), 255,729
vanadium(0),(I), 1351
Diphosphinoamine complexes
Ir(III),Pd(II),Pt(II),
Rh(I),(III), 1727
Diphosphoxane complexes
molybdenum(II), 1103
Dipropyldithiocarbamates
antimony(III), 411
Di-i-propyldithiophosphates
titanium(IV), 1681
2,6-Di-i-propylphenoxide
tantalum(V), 1765
Di-n-propylsulphoxide complexes
nickel(II), 1313
2,2′-Dipyridyl, reactions with
molybdenum(IV) complexes, 465
2,2′-Dipyridyl complexes
chromium(III), 105
manganese(I), 1879
molybdenum(0), 1781
rhodium(I), 2187
ruthenium(II), 1383,1571,1621
ruthenium(III), 651
tungsten(0), 1781
tungsten(VI), 1657
4,4′-Dipyridyl complexes
ruthenium(II), 473
Diselenide complex
rhenium(I), 2073
Diselenolate complexes
bismuth(III), 1593
technetium(V), 1547
Disulphide complexes
molybdenum(VI), 1445
Disulphurdinitride $[S_2N_2^{2-}]$
complexes, palladium(II),
platinum(II), 1541
Ditellurolene complex
hafnium(IV), 1923
Dithiocarbamates
antimony(III),(V), 411
iron(I), 1497
molybdenum(II), 1523
nickel(II), 497
ruthenium(II), 1383
Dithioformate complex
ruthenium(II), 1851
Dithiolate complexes
bismuth(III), 1593
nickel(II), 627,863
Dithiophosphates
iron(I), 1497
titanium(IV), 1681
tungsten(IV), 1115
Dithizone, 13
2-Di-4′-tolylarsinobenzoate
manganese(II), 1699
N,N′-Di-4-tolylformamidinate
iridium(II), 1625
Diundecylsulphoxide complexes
uranium(VI), 1913
Dodecanoates, iron(III), 2155
Dopamine complexes
copper(II), 845
DTA
aluminium magnesium hydroxide,
1587
arsenic(V) hydroxyapatite, 1049
copper(II) carboxylate
terpyridine water complexes,
1533
gold(III) chloride complex,
2077
indium(III) dibutyl compounds,
507
iron(II) cyanide pyrazine
pyridine complexes, 1757
molybdenum(IV) aminoalkylpheno-
thiazine oxo complexes, 465
molybdenum(VI) oxo
salicylaldimine complex, 1635
phthalocyanines, 1463
silver(I,III) oxide, 1309
spinel formation, 1791
tin(IV) methyl polycarboxylate
complexes, 1639
vanadium(IV) azole halide
nitrate pyridine sulphate
complexes, 455
vanadium(IV) biuret oxo
sulphate complexes, 841

E

Edge - shared octahedral dimeric structures, 667
Electric conductance
  cerium(IV) azole nitrate complex, 285
  copper(II) amide bromide complexes, 1399
  copper(II) ethanol salicylaldimine Schiff base water complexes, 1319
  gold(III) chloride complex, 2077
  iridium(I) aminophosphine chloride complexes, 2009
  iridium(I) carbonyl diphosphine halide manganese(I) complexes, 111
  iridium(I) diene phosphine phosphine sulphide complexes, 1329
  iridium(III) aminophosphine chloride complexes, 2009
  iron(II) amine chloride diphosphine nitrile phosphine complexes, 1089
  iron(III) aminoacid chloride hydroxide complexes, 969
  lanthanide bipyrimidine chloride nitrate complexes, 175
  manganese(I) carbonyl diphosphine halide iridium(I) rhodium(I) complexes, 111
  molybdenum(VI) amine carboxylate oxo peroxide water complex, 275
  nickel(II), palladium(II) aminophosphine chloride complexes, 2009
  rhenium(II),(II,III) diphosphine halide nitrile complexes, 1483
  rhenium(IV) chloride oxo phenoxide salicylaldimine complexes, 1647
  rhodium(I) aminophosphine chloride complexes, 2009
  rhodium(I) carbonyl chloride diene diimine palladium(II) complexes, 1427
  rhodium(I) carbonyl diphosphine halide manganese(I) complexes, 111
  rhodium(I) diene phosphine phosphine sulphide complexes, 1329
  rhodium(III) aminophosphine chloride complexes, 2009
  ruthenium(II) amine chloride diphosphine nitrile phosphine complexes, 1089
  ruthenium(II) aminophosphine carbonyl chloride complexes, 2009
  ruthenium(III) aminophosphine chloride complexes, 2009
  titanium(IV) chloride dithiophosphates, 1681
  vanadium(IV) azole halide nitrate pyridine sulphonate complexes, 455
Electric conductance (solid state)
  indium - tin - oxide films, 507
  rhodium(I) chloride diisocyanide polymeric complex, 2027
  vanadium(V) chloride oxo pyridylthiourea complex, 1807
Electronic spectra
  aluminium Schiff base complexes, 1097
  chromium(0) carbonyl complexes, 503
  chromium(0) carbonyl diimine complexes, 1673
  chromium(III) diimine complexes, 105
  chromium(IV) arylimido porphyrin complex, 2191
  chromium(VI) chloride oxo complex, 2145
  cobalt(II) amine halide phosphine complexes, 921
  cobalt(II) aminophosphine chloride complexes, 2009
  cobalt(II) azine halide hydrazone thiocyanate complexes, 1075
  cobalt(II) azole chloride thioether complexes, 1843
  cobalt(II) azole phenoxide complexes, 1993
  cobalt(II) carboxylate diamine water heterobinuclear complexes, 1603
  cobalt(II) dioxygen porphyrin pyridine complex, 1071
  cobalt(II) heterobinuclear complexes, 897
  cobalt(II) pyrimidine Schiff base complexes, 2103
  cobalt(II) salicylaldimine Schiff base complexes, 1319
  cobalt(III) aminoacid complexes, 105,947
  cobalt(III) ammine halide nitrite pseudohalide water complexes, 1563
  cobalt(III) diketonates, 583
  cobalt(III) macrocyclic complexes, 1875
  copper(II) amide bromide complexes, 1399
  copper(II) amide diamine pyridine triamine complexes, 1053
  copper(II) aminoacid catecholate phenanthroline complexes, 845
  copper(II) aminopolycarboxylate phenoxide water heterobinuclear complexes, 1971
  copper(II) bromovaleratre, 1203
  copper(II) carboxylate terpyridine water complexes, 1533
  copper(II) carboxylate water complexes, 1869
  copper(II) heterobinuclear complexes, 897
  copper(II) macrocyclic Schiff base complexes, 289
  copper(II) nitrosoalkylhydrox-

ylamine complexes, 1364
copper(II) peptide complexes, 45
copper(II) salicylaldimine Schiff base complexes, 1319
copper(II) tetrasalicylaldimine complexes, 513
copper(II) zirconium(IV) alkoxides, 427
diaminoazobenzene, 2137
gold(III) chloride complex, 2077
heteropolymolybdates, 213,519
heteropolytungstates, 213,519
iron carbonyl thio heteropolynuclear complexes, 1445
iron(0) cyanide complex, 1191
iron(II) ammine thiocyanate, 1191
iron(II) arsine oxide halide phosphine oxide thiocyanate water complexes, 1325
iron(II) cyanide pyrazine pyridine complexes, 1757
iron(II) cyanide pyridine ruthenium(II) complex, 159
iron(III) aminoacid chloride hydroxide complexes, 969
iron(III) aminopolycarboxylate phenoxide water heterobinuclear complexes, 1971
isopolymolybdates, 519
isopolytungstates, 519
lanthanide(II) carbazolyl ether indolyl phenoxide complexes, 1143
lanthanide(III) bipyrimidine chloride nitrate complexes, 175
lead(II) nitrate thione complex, 2177
Magnus salts, 225
manganese(II) heterobinuclear complexes, 897
metal - metal bonds, 695,705, 715,723,1439
molybdenum(0) carbonyl complexes, 503
molybdenum(0) carbonyl diimine complexes, 1673
molydenum(0) dinitrosyl complexes, 1523
molybdenum(II) chloride binuclear complex, 1975
molybdenum(II) diphosphine halide complexes, 715
molybdenum(II) dithiocarbamate nitrosyl picolinate complexes, 1523
molybdenum(III) chloride hydride binuclear complex, 1975
molybdenum(IV) aminoalkylphenothiazine oxo complexes, 465
molybdenum(VI) disulphide thio iron complexes, 1445
molybdenum(VI) oxo salicylaldimine complex, 1635
nickel(II) amine halide phosphine complexes, 921
nickel(II) aminophosphine chloride complexes, 2009
nickel(II) azole chloride thioether complexes, 1843
nickel(II) carboxylate diamine water heterobinuclear complexes, 1603
nickel(II) diaminotetrazole complexes, 1457
nickel(II) diphosphine nitrate complexes, 1223
nickel(II) dithiolate complexes, 863
nickel(II) halide hydrazone thiocyanate complexes, 1075
nickel(II) heterobinuclear complexes, 897
nickel(II) ketoimine salicylaldimine thiosemicarbazide complexes, 1901
nickel(II) macrocyclic Schiff base complexes, 289
nickel(II) naphthylideneaminoacid complexes, 1017
nickel(II) nitrate sulphoxide complexes, 1313
nickel(II) nitrogen - sulphur complex, 939
nickel(II) perthiocarbonate tetrasulphide complexes, 627
nickel(II) salicylaldimine Schiff base complexes, 1319
nickel(II) Schiff base thiolate complexes, 1653
osmium(II,III) chloride oxopyridine complex, 1439
palladium(II) amine arsine chloride phosphine complexes, 921
palladium(II) aminoacid chloride thioether complexes, 1391
palladium(II) chloride dicarboxylate thioether complexes, 447
palladium(II) diphosphinoamine complexes, 1727
palladium(II,IV) ammine diamine halide complexes, 225
phthalocyanine complexes, 1463
platinum(II) amine arsine chloride phosphine complexes, 921
platinum(II) diphosphinoamine complexes, 1727
platinum(II,IV) ammine diamine halide complexes, 225
platinum(II) carbonyl halide complexes, 85
praseodymium macrocycle semicarbazone thiosemicarbazone water complexes, 1611
rhenium(I) acylpyridine bromide carbonyl complexes, 593
rhenium(II),(II,III) diphosphine halide nitrile complexes, 1483
rhenium(III) diphosphine halide complexes, 715,907,1925
rhodium(I) chloride diisocyanide polymeric complex, 2027
rhodium(I) diphosphinoamine complexes, 1727
rhodium(II) carboxylate macrocyclic complexes, 461

rhodium(III) amine arsine chloride phosphine complexes, 921
rhodium(III) diphosphinoamine complexes, 1727
rhodium(III) pentasulphide $[S_5]^{2-}$ complex, 1775
ruthenium(II) ammonia nitrile iron(II) complex, 159
ruthenium(II) cyclopentadienyl complexes, 1383
ruthenium(III) edta mercapto-pyridine complexes, 603
ruthenium(III) mercaptoquinazo-linone complexes, 1009
ruthenium(III) nucleoside perchlorate purine pyrimidine complexes, 387
technetium(V) diselenolate oxo complex, 1547
thiocarbazones, 13
tin(IV) phenyl trifluoroacetate, 397
tungsten(0) carbonyl complexes, 503
tungsten(0) carbonyl diimine complexes, 1673
tungsten(IV) dithiophosphate thio compound, 1115
tungsten(VI) thio iron complexes, 1445
uranium(VI) dioxo acetate diamine nitrate oxime Schiff base complexes, 205
vanadium amide thio iron complexes, 1445
vanadium(IV) azole halide nitrate pyridine sulphonate complexes, 455
vanadium(IV) biuret oxo sulphate complexes, 841
vanadium(V) chloride oxo pyridylthiourea complexes, 1807
Electron diffraction, boranes, 1999
Electron microscopy
aluminium magnesium hydroxide, 1587
arsenic(V) hydroxyapatite, 1049
iron(II) cyanide pyrazine pyridine complexes pyrolysis, 1757
silver(I,III) oxide, 1309
spinel formation, 1791
Enthalpy of activation
fluxional rearrangements, 549, 1261
hydrogen peroxide decomposition by manganese(II) complex, 403
substitutions, chromium(III) porphyrin complexes, 1361
substitutions, ruthenium(III) edta complexes, 603
Enthalpy of formation
alkali metal crown ether complexes, 417
cobalt(II) aminoacid complexes, 2037,2053
cobalt(II) dioxygen porphyrin pyridine complex, 1071
copper(II) aminoacid complexes, 2037,2053
hydrogen ion crown ether complexes, 1469
thallium(I) cyclohexylthiogly-colate compounds, 401
triorganotin chloride solvates, 1037
Enthalpy of solution
arsenic(V) hydroxyapatite, 1049
Entropy of activation
chromium(I) arene complex reduction, 2151
fluxional rearrangements, 563, 1147,1261
hydrogen peroxide decomposition by manganese(II) complex, 403
substitutions, chromium(III) porphyrin complexes, 1361
substitutions, ruthenium(III) edta complexes, 603
Entropy of formation
cobalt(II) aminoacid complexes, 2037,2053
cobalt(II) dioxygen porphyrin pyridine complex, 1071
copper(II) aminoacid complexes, 2037,2053
thallium(I) cyclohexylthiogly-colate compounds, 401
triorganotin chloride solvates, 1037
Erythritol complexes, boron, 1415
Erythrose compounds
tin(IV), 383
ESR spectra
cobalt(II) pyrimidine Schiff base complexes, 2103
copper(II) aminoacid salicylal-dimine complexes, 1669
copper(II) carboxylate terpyri-dine water complexes, 1533
copper(II) carboxylate water complexes, 1869
copper(II) diamine triamine complexes, 1053
copper(II) peptide complexes, 45
copper(II) pyridine thiosemi-carbazone complexes, 39
copper(II) tetrasalicylaldimine complexes, 513
copper(II) zirconium(IV) alkoxides, 427
iron(-I) nitrite nitrosyl complex, 2091
iron carbonyl nitrene nitroso polynuclear radical anions, 1959
iron nitrosyl thiolate thiomolybdate thiophenoxide complexes, 2085
iron(I) amide dithioanion nitrosyl pyridine quinoline-thiolate complexes, 1497
iron(III) aminoacid chloride hydroxide complexes, 969
iron(III) nitrosyl oxo Schiff base complexes, 295
manganese(II) arsine carboxylate chloride water complexes, 1699
molybdenum(V) methyl oxo complexes, 1081
nickel(II) dithiolate

complexes, 627
rhenium(II,III) diphosphine halide nitrile complexes, 1483
rhodium(I) chloride diisocyanide polymeric complex, 2027
ruthenium(I,II) chloride cymene dipyridyl pyrazine complexes, 473
ruthenium(III) mercaptoquinazolinone complexes, 1009
tungsten(V) methyl oxo complexes, 1081
vanadium(IV) azole halide nitrate pyridine sulphonate complexes, 455
Ethane-1,2-dithiolates
nickel(II), 863
Ethenethiolate, iron, 2085
Ethanol complexes
copper(II), 881,1319
nickel(II), 1457
Ethanolamine complexes
nickel(II), 1279
Ethene complexes
zirconium(III), 645
Ether complexes
copper(II), 855,1149,1669
europium(II), 1143
lithium, magnesium, 1081
molybdenum(II), 2111
molybdenum(III,IV),(V), 2181
platinum(IV), 549
tantalum(V), 1765
vanadium(II), 1433
ytterbium(II), 1143
Ethoxides and ethoxo complexes
copper(II), 427
tungsten(VI), 163,1657
zirconium(IV), 427
Ethylamine complexes
iron(II), ruthenium(II), 1089
2-(Ethylamino)ethanol complexes
nickel(II), 1279
Ethylenebis(isonitrosoacetylacetoneimine) complexes, Co(II), Cu(II),U(VI), 205
Ethylenebis(salicylaldimine) complex, molybdenum(VI), 1635
Ethylenediamine complexes
cobalt(III), 181,651
copper(II), 1053
palladium(II), 225
platinum(II), 225
ruthenium(II), 837,1621
uranium(VI), 205
Ethylenediaminetetraacetate complexes,
cobalt(III), 1571
palladium(II), platinum(II), 571
ruthenium(III), 603
Ethylenediaminetetra(methylenephosphonate) complex, manganese(II), 403
2-Ethylhexanoate
indium(III), 507
N-Ethyliminodiacetate complexes
beryllium, 303
Ethyltetramethylcyclopentadienyl
rhenium(VII), 1165
Europium(II)
carbazolyl ether indolyl phenoxide complexes, 1143
organometallics, 807
Europium(III)
aminopolycarboxylate nitrate phenoxide water heterobinuclear complexes, 1971
bipyrimidine chloride nitrate complexes, 175
pyrazolone complexes, 2095
EXAFS
uranium(III) borohydride crown ether complexes, 189
uranium(VI) dioxo crown ether complex, 189

F

Ferraboranes, 1937,1941,1946
Ferrocene, 943
Ferrocene derivatives, 1243
Fluorescence spectra
rhenium(I) acylpyridine bromide carbonyl complexes, 593
Fluorides and fluoro complexes
rhenium(V), 1169
ruthenium(II), 1621
2-Fluorobenzoate
chromium(III), 1153
Fluorophosphazenes, cyclic, 123; polymeric, 132
6-Fluoro-2-oxopyridine complexes
osmium(II,III), 1439
Fluxional behaviour
hafnium(IV) cyclopentadienyl ditellurolene complex, 1923
iron(-I) nitrosyl thiolates, 1147
molybdenum(II) carbonyl diphosphine diphosphoxane halide complexes, 1103
palladium(II), platinum(II), (IV) thiolate - bridged complexes, 1261
platinum(IV) tridentate complexes, 549
selenoether, thioether complexes, 1785
Formaldehyde, reaction with
copper(II) tetramine complex, 1291
Formates
copper(II), 1533
ruthenium(II), 1621
Formation constants
actinide pyrazolone complexes, 2009
alkali metal crown ether complexes, 417,577
alkaline earth crown ether complexes, 535
aluminium adenosine phosphate complexes, 2095
beryllium aminopolycarboxylates, 1364
beryllium hydroxide iminodiacetate complexes, 303
boron oligosaccharide complexes, 1415
cadmium glycylglycine imidazole pyridoxamine complexes, 1477
cellulose - attached complexes, 1197

chromium(VI) chloride oxo complex, 2145
cobalt(II) aminoacid complexes, 633,2037,2053
cobalt(II) azole phenoxide complexes, 1993
cobalt(II) cyanide complexes, 1909
cobalt(II) dioxygen porphyrin pyridine complex, 1071
cobalt(II) glycylglycine imidazole pyridoxamine complexes, 1477
cobalt(II) sulphite complexes, 1717
cobalt(III) ammine chloride sulphoxide water complex, 1337
copper(II) amide bromide complexes, 1399
copper(II) aminoacid complexes, 633,2037,2053
copper(II) bromovalerate, 1203
copper(II) carboxylate catecholate complexes, 53
copper(II) peptide complexes, 45
crown amine-ether carboxylate complexes, 29
hydroxynaphthalenecarboxylates, 1517
iron(II) carboxylate catecholate complexes, 53
iron(III) carboxylates, 2155
lanthanide pyrazolone complexes, 2099
lanthanum hydroxide complexes, 1283
manganese(II) aminoacid complexes, 2037,2053
manganese(II) cyanide complexes, 1909
nickel(II) aminoacid complexes, 633
nickel(II) ethanolamine complexes, 1279
nickel(II) glycylglycine imidazole pyridoxamine complexes, 1477
nickel(II) halide phosphinedicarboxylate pseudohalide complexes, 1407
nickel(II) mercaptocarboxylate complexes, 613
nickel(II) phosphinate complexes, 1251
nitrilotri(methylenephosphonate) complexes, 1247
palladium(II) chloride dicarboxylate thioether complexes, 447
palladium(II) vitamin B_6 complexes, 329
potassium crown ether thiocyanate complexes, 577
silver crown ether complexes, 535
thallium(I) cyclohexylthioglycolate complexes, 401
tin(IV) triorgano chloride solvates, 1037
zinc aminoacid complexes, 633
zinc carboxylate catecholate complexes, 53
zinc glycylglycine imidazole pyridoxamine complexes, 1477
zinc mercaptocarboxylate complexes, 613
2-Formylpyridine thiosemicarbazone complexes, copper(II), 39
Free energy of activation
fluxionality, hafnium(IV) cyclopentadienyl ditellurolene complex, 1923
fluxionality, selenoether, thioether complexes, 1785
fluxionality, thiolate - bridged complexes, 1261
fluxionality, tridentate complexes, 549
Free energy of formation
thallium(I) cyclohexylthioglycolate complexes, 401
tin(IV) triorgano chloride solvates, 1037
Free energy of solution, arsenic(V) hydroxyapatites, 1049
Fructose compounds
boron, 1415
tin(IV), 383
2-Furoate, tin(IV), 587

G

Galactose compounds
boron, 1415
tin(IV), 383
Germanes, 441
Germanium in heteropolyanions, 519
Glucose compounds
boron, 1415
tin(IV), 383
Glycine complexes
cobalt(III), 651,947
Glycolates
phosphorus(III), 915
technetium(V), 1707
Glycylglycine complexes
Cd,Co,Ni,Zn, 1477
Gold
metallaboranes, 1952
solubilization, Chinese method, 483
Gold(I)
arsine chloride complexes, 1255
Gold(III)
diaminoazobenzene complex, 2137
Graham π-parameter, 503
Grignard reagents, reactions with phosphazenes, 125
Guanine, guanosine complexes
ruthenium(III), 387

H

Hafnium(IV) cyclopentadienyl ditellurolene complex, 1923
Hartree - Fock calculations
aluminium magnesium chloride complexes, 975
Heterobinuclear complexes
cobalt(II)-nickel(II), 1603
cobalt(III)-iron(III), 1929

palladium(II)-rhodium(I), 1427
Heteropolymolybdates
cobalt(III), 1343
copper(II), 213
manganese(II), 213
nickel(II), 213
phosphorus(v), 1681
topology, 309
tungsten(V), vanadium(V), 1813
zinc, 213
Heteropolytungstates
cobalt(II), 931,1513
molybdenum(V), 1813
nickel(II), 213
phosphorus(V), 931
topology, 309
vanadium(V), 1813
Heteropolyvanadates
molybdenum(VI), tungsten(VI), 1813
Hexamethylenetetramine complexes
zinc, 1111
Hexamethylphosphoramide complexes
tin(IV), 1037
uranium(VI), 647
Hexaphosphine complex
platinum(II), 1803
HFS calculations, metal-metal bonds, 685
High pressure reaction,
cobalt(II) dioxygen porphyrin pyridine complex, 1071
Histidine, reactions with
molybdenum(IV) complexes, 465
Histidine complexes
copper(II), 1669
iron(III), 969
mercury, zinc, 1209
Holmium
bipyrimidine chloride nitrate complexes, 175
HPLC, phosphates, 1863
Hydrazide complexes
rhenium(VII), 1577
Hydrazone complexes
cadmium, 1075
lanthanum, 1021
manganese(II), mercury, nickel(II), zinc, 1075
Hydrides and hydrido complexes
iridium(III), 1727
manganese(I), 111
platinum(II), 341
rhodium(I), 111,2187
rhodium(III), 345
tantalum(III),(IV), 741
Hydrogen
reaction with nitrile complexes, 1089
transfer, catalysis by rhodium(I) complexes, 1427
Hydrogen ion, reaction with crown ethers, 1469
Hydrogen dinitrate anion, 1885
Hydrogen peroxide
decomposition by Mn(II), 403
Hydrolysis
chromium(III) ammine carboxylate complexes, 1153
cyclopolyphosphates, 531,1863
Hydroxides and hydroxo complexes
aluminium, 1587
beryllium, 303
calcium, 1049
iron(III), 969
lanthanum, 1283
magnesium, 1587
tin(IV), 1639
Hydroxoaqua ($H_3O_2^-$) complexes
cobalt(III), 181
Hydroxyapatite, arsenic(V), 1049
1-(2′-Hydroxybenzyl)-2-(2′-hydroxyphenyl)-benzimidazole
complexes, Ce(IV), U(VI), 285
Hydroxycarboxylates
Cd,Co,Cu,Ni,Zn, 1517
Hydroxyethyl(methyl)dithiocarbamate, antimony(III), 411
2-Hydroxy-3-formyl-5-methyl-1-benzal ketones, 1473
Hydroxylamine, oxidation, 641
2-Hydroxy-5-methylbenzene-1,3-dicarbaldehyde complexes, 897, 1473
3-Hydroxy-2-naphthalenecarboxylates, Cd,Co,Cu,Ni,Zn, 1517
N-(2-Hydroxyphenyl)salicylideneiminate complexes, rhenium(IV), (V),(VI), 1647
8-Hydroxyquinoline complex,
manganese(III), 2003
2-Hydroxy-1,3-xylyl-15-crown-4
complexes, Cs, K, Na, 417
2-Hydroxy-1,3-xylyl-18-crown-5
complexes, Cs, K, Na, 417
Hypoxanthine complexes
ruthenium(III), 387

I

Imidazole complexes
cadmium, cobalt(II), 1477
cobalt(III), iridium(III), 1347
mercury, 1209
nickel(II), 1477
platinum(II), 85
rhodium(III), 1347
ruthenium(III), 1009
zinc, 1209,1477
Iminodiacetate complexes
beryllium, 303
tin(IV), 1639
Indium - tin - oxide films, 507
Indium(III)
alkoxide butyl carboxylate diketonate phenoxide compounds, 507
Indolyl compounds
europium(II), ytterbium(II), 1143
Inosine complexes
ruthenium(III), 387
Interfacial tensions, solvent
extraction, copper(II)
salicylaldoximes, 197
Iodate, reaction with
diaminoazobenzene, 2137
Iodate complexes
ruthenium(II), 1621
Iodides and iodo complexes
cobalt(III), 1563
gold, 483
mercury, 543
molybdenum(0), 1781
molybdenum(II), 261,729,1103
molybdenum(III,IV),(V), 2181

nickel(II), 921
platinum(IV), 319
rhenium(I), 1255
rhenium(II), 729
rhenium(V), 1169
ruthenium(II), 1383
thallium(III), 315
tungsten(0), 1781
tungsten(II), 729,1135
9-Iodo-1,2[&1,7]-dicarba-closo-decaborane(11), 1559
IR spectra
acyl compounds, 593
aldehyde complexes, 393
alkoxides, 163,427,2161
alkyls, 383,587,1081,1639
amide complexes, 1009
amidophosphazene, 1999
amine complexes, 85,461,465, 1053
aminoacid complexes, 845
aminopolycarboxylates, 603,1971
ammines, 85,159,1347
arsenate, 1049
arsine complexes, 921,1383
arsine oxide complexes, 1325
arsine oxide protonation, 2077
aryls, 587
arylimides, 163,2191
azole complexes, 85,285,1009, 1347
binucleating ligand, 897
biuret complexes, 841
bromides, 85,315,921,1021,1065, 1075,1325,1885
bipyrimidine complexes, 175
carbazolyls, 1143
carbohydrate complexes, 383
carbonyls, 85,95,111,261,593, 837,1103,1135,1255,1273,1351, 1427,1445,1673,1703,1781, 1851,1879,1987,1999,2009, 2031,2081
carboxylates, 275,461,587,1017, 1161,1351,1639,1699,2111
catecholates, 845
chlorides, 85,163,907,921,975, 1003,1021,1059,1065,1075, 1295,1325,1383,1427,1483, 1647,1657,1681,1699,1727, 1807,1885,2009,2111
cyanide complexes, 79,1191, 1383,1563,1757
cyclam complexes, 1875
cyclometallated complexes, 1003
cyclometallathiazine complexes, 2165
cyclopentadienyl complexes, 1383
dehydroacetic acid complexes, 1235
diazabutadiene complexes, 1059
diazenide complexes, 1577
diimine complexes, 845,1383, 1427
diketonates, 1383
diphosphoxane complexes, 1103
diselenolate complexes, 1547
dithiocarbamates, 411,1383,1523
dithiocarboxylates, 1851
dithiolates, 627
dithiophosphates, 1681
dithizone complexes, 1523
ether complexes, 1081,1639
fluorophosphine complex, 1295
heteropolymolybdates, 213
heteropolytungstates, 213
hydrazide complexes, 1577
hydrazone complexes, 1021,1075
hydrides, 341,741,1727
hydroxides, 1049,1587,1639
iminodiacetate, 1639
indolyls, 1143
iodides, 315
isocyanatophenylsiloxanes, 435
ketone complexes, 393,1021,1611
lactones, 423
mercaptoquinazolinone complexes, 1009
nitrates, 175,285,455,1021, 1223,1313,1885,1971
nitrile complexes, 159,1089, 1483
nitro (organic) compound, 1291
nitrosyls, 1523
nucleoside complexes, 387
organotrithiophosphate complexes, 539
oxime complexes, 205
oxo complexes, 205,275,285, 455,465,841,891,1081,1547, 1635,1647,1707,1807,1913
oxoquinoline complexes, 275
perchlorates, 387,1053,1383, 1427
peroxide complexes, 275
perthiocarbonate, 627
phenoxides, 1097,1143,1971
phosphine complexes, 921,1223, 1987
phosphinedicarboxylates, 1407
phosphine oxide complexes, 1325,1913
phosphine selenide complexes, 219
phosphine sulphide complexes, 1329
phthalocyanines, 1463
picolinates, 1523
purine complexes, 387
pyrazolone complexes, 1913
pyridine complexes, 85,393,479, 603,1021,1383,1885
pyridine-N-oxide complexes, 85, 315
pyridylthiourea complexes, 1807
pyrimidine complexes, 387,2103
quinone oxime complexes, 1509
salicylaldimines, 275,1319,1901
Schiff base complexes, 513, 1003,1021,1097,1319,1611, 1635,1653,1901,2103
semicarbazone complexes, 1611
siloxy compounds, 1097
stibine complexes, 1383
sulphates, 285,455,841
sulphonates, 1875
sulphoxide complexes, 1313,1913
tetrafluoroborates, 1383
tetraphenylborates, 1383
tetrasulphido complexes, 627
thiazyl compounds, 2161
thiocyanates, 455,1075,1191, 1273,1325,1383
thiodiacetic acid complexes, 1065

thioether complexes, 1065
thiolates, 603,1097,1653
thione complexes, 603,2177
thiosemicarbazone complexes, 39,1611
thiourea complexes, 837,2081
tropolonates, 891
uracil complexes, 2103
water complexes, 465,897,1325, 1603,1699,1971
Iridium(0)
phosphorus cluster complexes, 355,359,367,376,379
Iridium(I)
amidophosphazene carbonyl diene phosphine complexes, 1999
amine phosphine complexes, 921
aminophosphine chloride complexes, 2009
carbonyl diphosphine halide manganese(I) complexes, 111
Iridium(II)
amidinate complex, 1625
Iridium(III)
amine arsine chloride phosphine complexes, 921
aminophosphine chloride complexes, 2009
ammine imidazole complexes, 1347
carbonyl chloride diphosphino-amine hydride complex, 1727
chloride pyridine quinone-oxime complexes, 1509
diene phosphine phosphine-sulphide complexes, 1329
halide pyridine complexes, 1885
tropolonates, 891
water complex, 101
Iron
alkyl carbonyl phosphine heterobinuclear complexes, 2067
carbonyl chloride thio thiophenoxide heterometallic complexes, 1445
carbonyl nitrene nitroso polynuclear radical anions, 1959
metallaboranes, 1937,1941,1946
nitrosyl thio complexes, 2091
nitrosyl thiolate thiomolybdate thiophenoxide complexes, 2085
Iron(-II)
carbonyl mercury complex, 1273
Iron(-I)
nitrite nitrosyl complex, 2091
nitrosyl thiolates, 1147
Iron(0)
carbonyls, 1959
carbonyl cyclopentadienyl bismuth(III) complex, 2031
cyanide complex, 1191
phosphazene complexes, 142
phosphorus cluster complexes, 352,366,373,379
Iron(0,I,I)
phosphazene complexes, 141
Iron(I)
amide dithioanion nitrosyl pyridine quinolinethiolate complexes, 1497
phosphazene complexes, 141
Iron(II)
amine chloride diphosphine nitrile phosphine complexes, 1089
ammine thiocyanate complexes, 1191
arsine oxide halide phosphine oxide thiocyanate water complexes, 1325
carbonyl cyclopentadienyl thio-semicarbazide thiosemicarbazone complexes, 1703
carboxylate catecholate complexes, 53
crown amine - ether carboxylate complexes, 29
cyanide pyrazine pyridine complexes, 1757
cyanide pyridine ruthenium(II) complex, 159
diketonates, 1421
nitrilotri(methylenephosphonate) complexes, 1247
phosphazene complexes, 138,143
phosphazene porphyrin complexes, 144
phosphazenocyclopentadienyls, 147
pyridine quinone-oxime complexes, 1027
sulphate, 483
Iron(III)
aminoacid chloride hydroxide complexes, 969
aminopolycarboxylate phenoxide water heterobinuclear complexes, 1971
ammine thiocyanate complexes, 1191
arylimido salicylaldimine complexes, 2191
carboxylate complexes, 2155
cyanide cobalt(III) complex, 1929
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
diketonates, 1421
nitrosoalkylhydroxylamine complexes, 1375
nitrosyl oxo Schiff base complexes, 295
phosphazene porphyrin complexes, 144
Irving, H.M.N.H., tribute, 1; bibliography, 3
4-Isocyanatophenylsiloxanes, 435
Isocyanide complexes
rhodium(I), 2027
tungsten(VI), 1657
Isonicotinamide, isonicotinate complexes, iron(II), 1757
Isopolyanions
isopropanol oxidation catalysis, 1919
topology, 309
Isoprenaline, 25
Isopropanol oxidation, 1919

J

Jaeger complexes, nickel(II), 423

K

Kerosene, in solvent extraction of palladium(II), 1125
Ketoimine complexes
  cobalt(III), 995
  copper(II), 2169
  nickel(II), 1901,2169
  palladium(II), 1243
Ketone complexes
  lanthanum, 1021
  tin(IV), 393
Kinetic studies
  complex formation, heterobinuclear by pyrolysis, 1929
  complex formation, palladium(II) - sulphur aminoacids, 1391
  complex formation, palladium(II) - vitamin B_6, 329
  fluxionality, tridentate complexes, 549
  hydrolysis, chromium(III) ammine carboxylates, 1153
  hydrolysis, cobalt(III) sulphonate complexes, 1875
  hydrolysis, cyclopolyphosphates, 531,1863
  oxidative addition, HCl to $[Mo_2Cl_8]^{4-}$, 1975
  photoaquation, molybdenum(IV) cyanide complex, 269
  photolysis, tungsten(0) carbonyl phosphine piperidine complex, 337
  radiolysis, germanes, 441
  redox, chromium(VI) - thallium(I), 1721
  redox, copper(II) azole pyridine thioether complexes - ferrocenes, 943
  redox, cobalt(III), rhodium(III) complexes - vanadyl, 1347
  redox, NH_2OH - $[W(CN)_8]^{3-}$, 641
  solvent extraction, copper(II) salicylaldimines, 197
  spinel formation, 1791
  substitution, chromium(III) porphyrin water complex, 1361
  substitution, cobalt(III) aminopolycarboxylate ammine bromide complexes, 1571
  substitution, ruthenium(III) aminopolycarboxylate complexes, 603

L

Lacquer, in solubilization of gold and silver, 483
Lactones, on macrocyclic complexes, 423
Lactose, lactulose complexes, boron, 1415
Lanthanides(II)
  carbazolyl ether indolyl phenoxide complexes, 1143
Lanthanides(III)
  aminopolycarboxylate nitrate phenoxide water heterobinuclear complexes, 1971
  bipyrimidine chloride nitrate complexes, 175
  coordination saturation, 1041
  low oxidation states, organometallics, review, 803
  nitrate complexes, 489
  pyrazolone complexes, 2099
Lanthanum
  aminopolycarboxylate nitrate phenoxide water heterobinuclear complexes, 1971
  bipyrimidine chloride complexes, 175
  halide macrocyclic nitrate complexes, 1021
  hydroxide complexes, 1283
Lattice energies, magnesium chlorides, 975
Lawesson's reagent, 539
Lead(II)
  chloride complexes, 563
  crown amine - ether carboxylate complex, 29
  cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
  nitrate thione complex, 2177
  nitrilotri(methylenephosphonate) complexes, 1247
Leucine complexes
  iron(III), 969
Ligand synthesis
  aminopolycarboxylate, 1364
  bis(ketoimine)ferrocene, 1243
  diketonate, 1473
  hydrazones, 1075
  Jaeger complexes, 423
  macrocyclic Schiff bases, 289
  macrocyclic tetramines, 1291
  salicylaldimine Schiff bases, 1319
  triketonate, 1473
Lithium
  alkyls, aryls, reactions with phosphazenes, 123,130,133,143
  amine diphenylphosphide complexes, 987
  aminopolycarboxylate phenoxide water heterobinuclear complexes, 1971
  carboranes, reactions with phosphazenes, 131
  crown amine - ether carboxylate complex, 29
  ether oxo rhenium(V) compound, 1081
  metallocenes, reactions with phosphazenes, 147
Lutetium(III) pyrazolone complexes, 2099

M

Macrocyclic complexes
  cobalt(III), 1875
  copper(II), 289,1291,2169
  lanthanum, 1021
  nickel(II), 289,423,2169
  potassium, 1161
  praseodymium(III), 1611
  rhodium(II), 461
  rubidium, 1161

ruthenium(III), 1875
sodium, 1161
Magnesium
aluminium hydroxide, 1587
aluminium oxide, 1791
catecholdicarboxylate water complexes, 871
chloride complexes, 975
crown amine-ether carboxylate complexes, 29
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
diaminoazobenzene complex, 2137
diethyl, reactions with phosphazenes, 132
ether oxo molybdenum(V) tungsten(V) compounds, 1081
Grignards, reactions with phosphazenes, 132
heteropolymolybdates, 213
Magnetic moments
chromium(III) dehydroacetic acid complexes, 1235
chromium(IV) arylimido porphyrin complex, 2191
cobalt(II) amide dehydroacetic acid complexes, 1235
cobalt(II) amine halide phosphine complexes, 921
cobalt(II) azine halide hydrazone thiocyanate complexes, 1075
cobalt(II) carboxylate diamine water heterobinuclear complexes, 1603
cobalt(II) heterobinuclear complexes, 897
cobalt(II) phthalocyanines, 1463
cobalt(II) pyrimidine Schiff base complexes, 2103
cobalt(II) salicylaldimine Schiff base complexes, 1319
copper(II) aminopolycarboxylate phenoxide water heterobinuclear complexes, 1971
copper(II) dehydroacetic acid complexes, 1235
copper(II) ethanol salicylaldimine Schiff base complexes, 1319
copper(II) heterobinuclear complexes, 897
copper(II) nitrosoalkylhydroxylamine complexes, 1375
copper(II) nitrosoresorcinol complexes, 1033
copper(II) oxime Schiff base complexes, 205
cobalt(II) phthalocyanines, 1463
copper(II) zirconium(IV) alkoxides, 427
iron(II) ammine thiocyanate complex, 1191
iron(II) arsine oxide halide phosphine oxide thiocyanate water complexes, 1325
iron(II) pyridine quinone - oxime complexes, 1027
iron(III) aminoacid chloride hydroxide complexes, 969
iron(III) aminopolycarboxylate phenoxide water heterobinuclear complexes, 1971
iron(III) arylimido salicylaldimine complexes, 2191
iron(III) nitrosoalkylhydroxylamine complexes, 1375
iron(III) nitrosyl oxo Schiff base complexes, 295
manganese(II) arsine carboxylate chloride water complexes, 1699
manganese(II) halide hydrazone complexes, 1075
manganese(II) heterobinuclear complexes, 897
molybdenum(0) dinitrosyl complexes, 1523
molybdenum(II) nitrosyl picolinate complex, 1523
molybdenum(III,IV),(V) acetate ether iodide oxo complexes, 2181
nickel(II) carboxylate diamine water heterobinuclear complexes, 1603
nickel(II) dehydroacetic acid complexes, 1235
nickel(II) diaminetetrazole complexes, 1457
nickel(II) diphosphine nitrate complex, 1223
nickel(II) halide hydrazine thiocyanate complexes, 1075
nickel(II) heterobinuclear complexes, 897
nickel(II) nitrate sulphoxide complexes, 1313
nickel(II) perthiocaronate tetrasulphide complexes, 627
nickel(II) salicylaldimine Schiff base complexes, 1319
osmium(II,III) chloride oxopyridine complex, 1439
praseodymium macrocyclic semicarbazone thiosemicarbazone water complexes, 1611
pyridine thiosemicarbazone complexes, 39
rhenium(III) chloride diphosphine complexes, 907
rhenium(IV),(VI) chloride oxo phenoxide salicylaldimine complexes, 1647
ruthenium(III) mercaptoquinazolinone complexes, 1009
vanadium(0) carbonyl diphosphine complexes, 1351
vanadium(IV) azole halide nitrate pyridine sulphate complexes, 455
Magnus salts, 225
Manganese metallaboranes, 1942
Manganese(I)
bromide carbonyl diimine diphosphine perchlorate phosphine complexes, 1879
carbonyl diphosphine halide hydride iridium(I) rhodium(I) complexes, 111
phosphorus cluster complexes, 368,375,379

Manganese(II)
aminoacid complexes, 2037,2053
aminopolyphosphonate complex, 403
arsine carboxylate chloride water complexes, 1699
catecholdicarboxylate water complexes, 871
crown amine-ether carboxylate complexes, 29
cyanide complexes, 1909
halide hydrazone complexes, 1075
heterobinuclear complexes, 897
phosphazene complexes, 138
Manganese(III) diketonate hydroxyquinoline complexes, 2003
Manganese(III),(IV) in H_2O_2 decomposition, 403
Mannose complexes, boron, 1415
Mass spectra
bismuth(III) aminothiophenoxide methyl phenyl compounds, 1593
cobalt, triphosphine tripnictide/-chalcogenide complexes, 1491
hafnium cyclopentadienyl ditellurolene complex, 1923
nickel triphosphine tripnictide/-chalcogenide complexes, 1491
phthalocyanines, 1463
rhenium(I) carbonyl chloride diarsine complex, 1255
rhenium(VII) alkyl alkylidyne chloride complex, 1599
spiroborates, 2119
tin(IV) phenyl trifluoroacetate, 397
MCD spectra
heteropolymolybdates, 213
heteropolytungstates, 213
Melezitose complexes, boron, 1415
1-l-Menthyloxy-3-acylacetone complexes, cobalt(III), 583
Mepazine, methotrimeprazine complexes, molybdenum(IV), 465
Mercaptoacetic acid derivatives, antimony(V) complexes, 1161
Mercaptocarboxylate complexes
antimony(V), 1161
nickel(II), zinc, 613
N-(2-Mercaptoethyl)salicylaldimine complexes, aluminium, 1097
N-(2-Mercaptophenyl)benzaldimine complexes, aluminium, 1097
2-Mercapto-3-phenyl-4-quinazolinone complexes, rhodium(III), ruthenium(III), 1009
N-(2-Mercaptophenyl)salicylaldimine complexes, aluminium, 1097
3-Mercaptopropionic acid derivatives, antimony(V) complexes, 1161
2-Mercaptopyridine complexes
ruthenium(II), 837
ruthenium(III), 603
Mercury
azole sulphonate complexes, 1209
chloride hydrazone complexes, 1075
chloride molybdenum(0), tungsten(0) complexes, 1781
in cobalt(III) substitutions, 1337
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
diaminoazobenzene complex, 2137
diphosphine complexes, 655
halide cobalt(I) complex, 543
thiocyanate iron(-II) complex, 1273
Metal - metal bonds
carbonyl cyclopentadienyl compounds, review, 759
diamagnetic anisotropy, 1677
edge - shared octahedra, 667
electronic spectra, 695, 705, 715,723
heteronuclear quadruple, review, 793
molecular orbitals, 679,685, 695,705,741
molybdenum(III), tungsten(III), 1677
Metallaboranes, review, 1935
Methanethiolates
iron, 2085
palladium(II), 1261
platinum(II),(IV), 1261
Methanol, solvent for crown ether complexes, 535
Methanol complexes
rhenium(V), 1647
Methionine complexes
iron(III), 969
palladium(II), 1391
Methoxides
copper(II), zirconium(IV), 427
2-Methoxybenzoate, copper(II), 1869
5-Methoxynaphthoquinone oxime complexes, iron(II), 1027
4-Methoxypyridine-N-oxide complexes, thallium(III), 315
2-Methoxy-1,3-xylyl-15-crown-4 complexes, alkali metals, 417
2-Methoxy-1,3-xylyl-18-crown-5 complexes, alkali metals, 417
Methyls
bismuth(III), 1593
molybdenum(V), 1081
niobium(V), 2019
platinum(IV), 319,549,1157,1261
rhenium(V), 1081,1169
silicon, 435
tantalum(V), 2019
tin(IV), 393,587,1639
titanium(IV), 2019
tungsten(V), 1081
9-Methyladenine complexes
borane, 1183
Methylamine complexes
palladium(II), 225
2-(Methylamino)ethanol complexes
nickel(II), 1279
Methylbenzylamine, Schiff base, complexes, platinum(IV), 319
2-Methyl-2-(4-chlorophenoxy)propionate complexes, copper(II), 855
Methylcyclopentadienyl, iron(0), 2031

S-Methylcysteine complexes
palladium(II), 1391
Methyldithiocarbamate
molybdenum(II), 1523
N-Methylformamide complexes
copper(II), 1669
2-Methylimidazole complexes
mercury, zinc, 1209
1-Methylimidazoline-2(3H)-thione
complex, lead(II), 2177
N-Methyliminodiacetate complexes,
beryllium, 303
4-(5′-Methyl-3′-isoxazolylazo)-
resorcinol complex, cobalt(II),
1993
Methyl-C-nitrilotriacetate
beryllium, 1364
2-Methyl-2-nitrosopropane, 1959
2-Methyl-4-nitrosoresorcinol
complexes, copper(II), 1033
10-Methyl-10-nitro-1,4,8,12-
tetraazacyclopentadecane
complexes, copper(II), 1291
3-Methyl-2,4-pentanedionates
iron(II),(III), 1421
2-Methyl-2-phenoxypropionate
complexes, copper(II), 855
Methyl(phenyl)hydrazide complexes
rhenium(VII), 1577
2-Methyl-2[&3]-(phenylthio)pro-
pionate complexes, copper(II),
881
Methylphosphinediacetates
barium, nickel(II), 1407
3-Methylpyridine complexes
ruthenium(III), 1009
4-Methyl-N-8-quinolinylbenzene-
sulphonamide complexes,
cadmium, 963
3-Methyltetrahydrofuran complexes
vanadium(II), 1433
Methylthiourea complexes
ruthenium(II), 837
Micelle complexes
mercury, zinc, 1209
Millet wine, in silver
solubilization, 483
MNDO calculations, carbaboranes,
1559
Moessbauer spectra
iron(II) pyridine quinone -
oxime complexes, 1027
iron(III) aminoacid chloride
hydroxide complexes, 969
iron(III) nitrosyl oxo Schiff
base complexes, 295
tin(IV) alkyl aryl
carboxylates, 587
tin(IV) alkyl carbohydrate
compounds, 383
tin(IV) methyl polycarboxylate
complexes, 1639
Molecular orbitals
aluminium magnesium chloride
complexes, 975
carbaboranes, 1559
lithium phosphide, 987
metal - metal bonds, 679,685,
695,705,741,760
transition metal complexes,
1215
Molybdenum
alkyl carbonyl cyclopentadienyl
iron complexes, 2067
Molybdenum(0)
amine diphenylthiocarbazone
nitrosyl phenoxide picolinate
thiophenoxide complexes, 1523
carbonyl complexes, 503
carbonyl diimine complexes,
1673
carbonyl diimine halide mercury
complexes, 1781
carbonyl diphosphine complex,
1797
phosphazene complexes, 138,146
phosphorus cluster complexes,
366,373
Molybdenum(I)
phosphorus cluster complexes,
357,362,371,379
Molybdenum(II)
acetate chloride ether
phosphine complex, 2111
acetonitrile carbonyl chloride
thiourea complexes, 2081
carbonyl diphosphine
diphosphoxane halide
complexes, 1103
carbonyl diphosphine
thiocyanate complex, 95
carbonyl iodide phosphine
complex, 261
chloride binuclear complex,
1975
diphosphine halide complexes,
715,729
dithiocarbamate nitrosyl
picolinate complexes, 1523
heteronuclear metal - metal
bonds, 793
phosphazene complexes, 140,143
Molybdenum(III)
acetate alkoxides alkyls
alkylamide alkylidyne diamine
diphosphine pyridine
complexes, 255
alkoxides, alkylamides, metal -
metal bonds, 1677
chloride hydride binuclear
complex, 1975
picolinate, 1523
Molybdenum(III,IV) acetate ether
iodide oxo complex, 2181
Molybdenum(IV)
aminoalkylphenothiazine oxo
complexes, 465
chloride diphosphine thio
complex, 1741
cyanide complex, 269
Molybdenum(V)
chloride, 668
ether iodide oxo complex, 2181
methyl oxo magnesium compound,
1081
Molybdenum(VI)
amine carboxylate oxo
oxyquinoline peroxide
phenoxide pyridine
salicylaldimine water
complexes, 275
cyclopentadienyl halide oxo
complexes, non-formation, 281
disulphide thio iron complexes,
1445
heteropolyanions, 213,519,1343,

1681,1813
as heteropolyion, 1813
isopolyanions, 519
oxo salicylaldimine complexes, 1611
oxo tropolonate complexes, 891
thio iron complexes, 2085
Mu jing fruit, in silver solubilization, 483

N

Naphthoquinone oxime complexes
iridium(III), 1509
iron(II), 1027
rhodium(III), 1509
Naphthylideneaminoacid complexes
nickel(II), 1017
3-(2-Naphthyl)-2-mercaptopropenoic acid complexes, Ni,Zn, 613
Neodymium(III)
phenanthroline pyrazolone complexes, 957
ternary oxide, 668
Neutron diffraction
aluminium magnesium chlorides, 975
Nickel, metallaboranes, 1939
Nickel(0)
phosphorus cluster compounds, 354,363
Nickel(I)
phosphorus cluster compound, 355,359,376,378
Nickel(II)
alcoholamine complexes, 1279
amine azole ethanol halide thiocyanate water complexes, 1457
amine halide phosphine complexes, 921
aminoacid complexes, 633
aminophosphine chloride complexes, 2009
azole chloride thioether complexes, 1843
carboxylate diamine water heterobinuclear complexes, 1603
catecholdicarboxylate water complexes, 871
crown amine carboxylate ether complexes, 29
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
dehydroacetic acid complex, 1235
diaminoazobenzene complex, 2137
diketonate, 497
diphosphine nitrate complex, 1223
dithiocarbamate, 497
dithiolate complexes, 863
dithiolate perthiocarbonate tetrasulphide complexes, 627
glycylglycine imidazole pyridoxamine complexes, 1477
halide hydrazone thiocyanate complexes, 1075
halide phosphinedicarboxylate pseudohalide complexes, 1407
heterobinuclear complexes, 897
heteropolymolybdates, 213
heteropolytungstates, 213
hydroxycarboxylates, 1517
ketoimine macrocyclic polyamine pyridine Schiff base complexes, 2169
ketoimine salicylaldimine thiosemicarbazide complexes, 1901
macrocyclic complexes, 285,423
mercaptocarboxylate complexes, 613
naphthylideneaminoacid complexes, 1017
nitrate sulphoxide complexes, 1313
nitrilotri(methylenephosphonate) complexes, 1247
nitrogen - sulphur complex, 939
phosphazene complexes, 137
phosphinate complexes, 1251
phthalocyanines, 1463
salicylaldimine Schiff base complexes, 1319
Schiff base thiolate complexes, 1653
triphosphine trichalcogenide/-pnictide complexes, 1491
Nicotinamide, nicotinate complexes, iron(II), 1757
Niobium(V)
alkyl phenoxides, 2019
chloride, 668
Nitrate complexes
cerium(III), 175
cerium(IV), 285
europium, 175,1971
holmium, 175
lanthanides, 175,285,489,1021, 1971
lanthanum, 1021,1971
lead(II), 2177
nickel(II), 1223,1313
uranium(VI), 205,285
vanadium(IV), 455
yttrium, 175
Nitrene complexes, iron, 1959
Nitrile complexes
cobalt(III), 1875
iron(II), 1089
molybdenum(II), 2081
rhenium(II,III), 1483
ruthenium(II), 159,1089
tungsten(II), 2081
vanadium(I), 1351
Nitriloacetatedipropionate, nitrilodiacetatepropionate complexes, beryllium, 1364
Nitrilotriacetate complexes
beryllium, 1364
on cellulose, 1197
Nitrilotri(methylenephosphonate) complexes, 1247
Nitrilotripropionate complexes
beryllium, 1364
Nitrite,
reaction with diaminoazobenzene, 2137
in solubilization of silver, 483
Nitrite complexes
cobalt(III), 181,1563
iron(-I), 2091

ruthenium(II), 1621
Nitroalkanes, reaction with iron carbonyls, 1959
2-Nitrobenzoate, chromium(III), 1153
Nitrocyclohexane, sodium salt, 1959
Nitroethane, reaction with copper(II) tetramine complex, 1291
Nitrogen - sulphur complex nickel(II), 939
Nitromethane, sodium salt, 1959
5-Nitro-1,10-phenanthroline complexes, copper(II), 845
4-Nitropyridine complexes thallium(III), 315
Nitrosoalkanes, reaction with iron carbonyls, 1959
N-Nitroso-N-alkylhydroxylamine complexes, copper(II), iron(III), 1375
Nitrosoresorcinols, complexes copper(II), 1033
Nitrosyls
iron, 1959,2085,2091
iron(-I), 1147,2091
iron(I), 1497
iron(III), 295
molybdenum(0),(II), 1523
rhenium(I), 1503
NMR(^{1}H) spectra
acyl complexes, 593
aldehyde complexes, 393
alkoxides, 163,1657,1747,2161
alkyls, 319,549,587,1081,1261, 1593,1599,1839,2019
alkylamide, 1657
alkylidyne complex, 1599
alkylidyne-vinyl complex, 2067
amide complexes, 1875
amine complexes, 837,1089,1657
aminophosphine complexes, 2009
aminopolycarboxylates, 571
ammines, 85,1347
aniline complexes, 85
anisyls, 219
arsine complexes, 1255,1383
arsine oxide protonation, 2077
aryls, 397,587
arylimides, 163
azole complexes, 1209,1347
bipyrimidine complexes, 175
carbaborane, 1737
carboxylates, 2111
catecholate, 525
cyclam complexes, 1875
cyclometallated complexes, 1003
cyclopentadienyls, 1243,1383, 1923,2031
cymene complexes, 473
diarsine complexes, 1255
diazadiphosphacyclopentanones, 1823
diene complexes, 1329,1427
diimine complexes, 1657
diketonates, 525,583,1383,2003
diphosphine complexes, 111, 1131,1261,1709,1797
diphosphinoamine complexes, 921,1727
dipyridyl complexes, 473
ditellurolene complex, 1923
dithiocarbamates, 411,1383
dithiocarboxylate, 1851
dithiolates, 863
dithiophosphates, 1115,1681
ether complexes, 549,1765,2111
fluxional complexes, 549
glycolate, 1707
hydride complexes, 741,1727
hydroxyquinoline complexes, 2003
imidazole complexes, 85
ketoimine complexes, 1243,2169
ketone complexes, 393
lactones, 423
lanthanide complexes, 1611
macrocyclic complexes, 1611, 1875,2169
metallaboranes, 1958
micelle complexes, 1209
nitrile complexes, 1089,1875
phenoxides, 1765
phosphines, 1295
phosphine complexes, 163,741, 921,1295,1329,1383,1657,1709, 1879,2067,2111
phosphinedicarboxylates, 1407
phosphine oxide complexes, 1913
phosphine selenide complexes, 219
phosphine sulphide complexes, 1329
picoline complexes, 1657
pinacolate, 1747
purine complexes, 387
pyrazine complexes, 85,473
pyrazolone complexes, 1913
pyridine complexes, 85,393
pyridylthiourea complexes, 1807
pyrimidine complexes, 387
Schiff base complexes, 319, 1003,1097,1635,1653,2169
selenoether complexes, 549,1785
siloxanes, 435
siloxyl complexes, 1097
spiroborates, 2119
stibine complexes, 1383
sulphonate complexes, 1209
sulphoxide complexes, 1913
tetraalkylammonium salts, 163
thiazyl compounds, 2161
thiocarbazones, 13
thioether complexes, 549,1785
thiolates, 1147,1261,1653
thione complex, 2177
thiophenoxide, 1445
thiourea complexes, 837
tropolonates, 891
NMR(^{7}Li) spectra
diphenylphosphide complexes, 987
NMR(^{10}B) spectra
carbaboranes, 1981
NMR(^{11}B) spectra
carbaboranes, 1737,1981
metallaboranes, 1956
NMR(^{13}C) spectra
alkoxides, 163,1657
alkyls, 319,1081,2019
alkylamides, 1657
alkylidne-vinyl complex, 2067
amine complexes, 1657
aminoacid complex, 105
aminopolycarboxylates, 571

aryls, 2019
arylimides, 163
carbaborane, 1737
carbonyls, 2031,2067,2081
carboxylate, 2111
catecholate, 525
cyclopentadienyls, 1243,2031
diarsine complexes, 1255
diimine complexes, 1657,1673
diketonate, 525
diphosphine complexes, 1797
diphosphinoamine complexes, 1727
dithiocarbamates, 411
dithiophosphates, 1115,1681
ether complexes, 1745,2111
glycolate, 1707
ketoimine complexes, 1243,2169
macrocyclic complexes, 2169
phenoxides, 1745
phosphine complexes, 163,1657, 2067,2111
picoline complexes, 1657
pyridine complexes, 319,479
pyridinium salt, 479
Schiff base complexes, 319,2169
spiroborates, 2119
tetraalkylammonium salts, 163, 489
tropolonates, 891
NMR(^{14}N) spectra
aminoacid complexes, 2037,2053
nitrate complexes, 489
tetraalkylammonium salts, 489
NMR(^{15}N) spectra
nitrosyls, 1147,2091
NMR(^{17}O) spectra
aminoacid complexes, 2037,2053
heteropolyanions, 1813
NMR(^{19}F) spectra
fluorophosphines & complexes, 1295
NMR(^{31}P) spectra
aminophosphine complexes, 2009
diazadiphosphacyclopentanones, 1823
diphenylphosphido complexes, 987
diphosphine complexes, 95,111, 473,655,1103,1261,1351,1483, 1709,1797,1879
diphosphinoamine complexes, 921,1727
diphosphoxane complexes, 1103
dithiophosphates, 1115,1681
phosphines, 1295
phosphine complexes, 261,539, 741,921,1089,1295,1329,1541, 1709,1879,2165
phosphine selenide complexes, 219
phosphine sulphide complexes, 1329
phosphorus cluster complexes, 359,370,379
NMR(^{39}K) spectra
potassium crown ether thiocyanate complex, 577
NMR(^{51}V) spectra
heteropolyvanadates, 1813
vanadium(I) carbonyl diphosphine complexes, 1351
NMR(^{95}Mo) spectra
heteropolymolybdates, 1813
molybdenum(III) alkylidyne complexes, 255
molybdenum(III) binuclear complexes, 255
NMR(^{119}Sn) spectra
triorganotin chloride solvates, 1037
NMR(^{183}W) spectra
tungsten(III) alkylidyne complexes, 255
tungsten(III) binuclear complexes, 255
NMR(^{195}Pt) spectra
platinum(II) diphosphine thiolate platinum(IV) complex, 1261
platinum(IV) chloride methyl thiolate platinum(II) complex, 1261
NMR(^{199}Hg) spectra
mercury diphosphine complexes, 655
NMR(NOE) spectra
catecholate, diketonate, 525
NMR(2D) spectra
carbaboranes, 1737,1981
2,5-Norbornadiene complexes
iridium(I), rhodium(I), 1329
Nuclear waste, extraction of palladium from, 1125
Nucleophiles, reactions with metal - metal bonds, 760
Nucleoside complexes
ruthenium(III), 387

O

Octyls, tin(IV), 383
Oligosaccharide complexes, boron, 1415
Organoantimony(V) compounds, book review, 660
Organocopper compounds, book review, 1716
Organolanthanides, review, 803
Organometallic chemistry, book reviews, 1716,2035
Organometallic oxides, review, 1165
Organophosphorus compounds
reactions with metal - metal bonds, 762
Organosulphur compounds
reactions with metal - metal bonds, 761
Organotin(IV) compounds, book review, 660
Organotitanium(IV) compounds, book review, 660
Organotrithiophosphate complexes
platinum(II), 539
Ornithine complexes
copper(II), 1669
Osmium metallacarboranes, 1944
Osmium(II)
chloride diphosphine complexes, 1131
Osmium(II,III)
chloride oxopyridine complex, 1439
Osmium(III)
tropolonates, 891

Osmium(IV)
chloride silver(I) complex, 1695
Osmium(VI)
oxo tropolonate complexes, 891
Oxalates and oxalato complexes
cobalt(III), 651
ruthenium(II), 1621
Oxides
aluminium, magnesium, 1791
neodymium(III), rhenium(V), 668
silver(I,III), 1309
Oxime complexes
cobalt(II), 205
copper(II), 197,205
iridium(III), rhodium(III), 1509
uranium(VI), 205
Oxo complexes
aluminium, 1839
chromium(VI), 2145
iron(III), 295
lithium, magnesium, 1081
molybdenum(III,IV), 2181
molybdenum(IV), 465
molybdenum(V), 2181
molybdenum(VI), 275,891,1635
osmium(VI), 891
rhenium(IV), 1647
rhenium(V), 1081,1577,1647
rhenium(VI), 1647
rhenium(VII), 1165,1577
silicon, 435
tantalum(V), 1765
technetium(V), 1547,1707
tungsten(V), 1081
tungsten(VI), 275,891,1839
uranium(VI), 189,205,285,647, 1319,1913
vanadium(IV), 841
vanadium(V), 1807
N-(2-Oxophenyl)salicylaldimine complex, molybdenum(VI), 275
Oxopyridine complexes
osmium(II),(III), 1439
8-Oxoquinoline complexes
Mo(VI), W(VI), 275

P

Palladium, extraction from nuclear waste, 1125
Palladium(0)
carbonyl phosphine complex, 1987
phosphorus cluster complexes, 354,379
phosphorus cluster complex, 355,360,376,379
Palladium(II)
acetate halide phosphine Schiff base cyclometallated complexes, 1003
acetate arsine phosphine cyclometallated compounds, 1619
amine arsine chloride phosphine complexes, 921
aminoacid chloride thioether complexes, 1391
aminophosphine chloride complexes, 2009
aminopolycarboxylate chloride complexes, 571
ammine cyanide complexes, 79
aniline chloride complex, 1059
chloride dicarboxylate thioether complexes, 447
chloride diimine complexes, 1427
chloride diphosphine complex, 1797
chloride diphosphinoamine complex, 1727
chloride vitamin B_6 complexes, 329
cyclometallated ketoimine iron(II) complexes, 1243
diaminodiazobenzene complex, 2137
diphosphine thiolate platinum(IV) complex, 1261
halide thiodiacetic acid complexes, 1065
phosphazene complexes, 137
phosphine $S_2N_2^{2-}$ complexes, 1541
Palladium(II,IV)
ammonia diamine halide complexes, 225
PE spectra, carbaboranes, 1559
nido-Pentaborane(9), 1849
arachno-Pentaborane(11), 1849
Pentachloride dimers, 668
Pentamethylcyclopentadienyls
iron(0), 2031
lanthanides(II), 811,818
rhenium(VII), 1165
rhodium(III), 1255
tungsten, 2067
1,1,4,7,7-Pentamethyl-1,4,7-triazaheptane complexes, lithium, 987
2,4-Pentanedione, reaction with ferrocene derivative, 1243
2,4-Pentanedionates
aluminium, 525
indium(III), 507
iron(II),(III), 1421
magnesium, 1791
manganese(III), 2003
ruthenium(II), 1383,1621
n-Pentanethiolate, iron, 2085
Pentasulphide $[S_5]^{3-}$ complex
rhodium(III), 1775
neo-Pentoxides
molybdenum(III), 255
tungsten(III), 255
neo-Pentyls
molybdenum(III), 255
rhenium(V), 1169
tungsten(III), 255
tungsten(VI), 1839
Peptide complexes
cadmium, cobalt(II), 1477
copper(II), 45
nickel(II), zinc, 1477
Perazine complexes
molybdenum(IV), 465
Perchlorates and complexes
manganese(I), 1879
ruthenium(III), 387
Periodic table, book review, 659
Permanganate, reaction with diaminodiazobenzene, 2137
Peroxo complexes

molybdenum(VI), tungsten(VI), 275
Perthiocarbonate [CS_4^{2-}] complexes, nickel(II), 627
1,10-Phenanthroline, reactions with molybdenum(IV) complexes, 465
1,10-Phenanthroline complexes
chromium(III), 105
copper(II), 845
europium(II), 1143
manganese(I), 1879
molybdenum(0), 1781
neodymium(III), 957
praseodymium(III), 957
ruthenium(II), 1383
ruthenium(III), 1009
sodium, 1833
tungsten(0), 1781
ytterbium(II), 1143
Phenoxides
aluminium, 525
cobalt(II), 897,1993
copper(II), 897,1971
europium(III), 1971
indium(III), 507
iridium(III), 1509
iron(III), 1971
lanthanum, 1971
lithium, 1971
manganese(II), 897
molybdenum(0), 1523
molybdenum(II), 261
nickel(II), 897
niobium(V), 2019
rhenium(IV),(V),(VI), 1647
rhodium(III), 1509
sodium, 1833
tantalum(V), 1765,2019
titanium(IV), 2019
tungsten(VI), 163
Phenyls
antimony(III), 411
antimony(V), 411,1161
bismuth(III), 1593
rhenium(V), 1169
silicon, 435
tellurium(IV), 219
tin(IV), 393,397,587,1037
titanium(IV), 2019
Phenylalanine complexes
copper(II), 845
iron(III), 969
N-Phenyl-(β-amino-4-methylstyryl)diphenylphospha-1λ^5-azene) complexes, Ir(I),Rh(I), 1999
o-Phenylenebissalicylideneiminate complexes, iron(III), 295
Phenylimido complexes
iron(III), 2191
tungsten(VI), 163
2-Phenyl-indol-1-yl compounds
Eu(II), Yb(II), 1143
1-Phenyl-3-methyl-4-acetyl-5-pyrazolone complexes, uranium(VI), 1913
1-Phenyl-3-methyl-4-benzoyl-5-pyrazolone complexes, neodymium(III), 957
praseodymium(III), 957
1-Phenyl-3-methyl-4-trifluoroacetylpyrazolone complexes, actinides(III), lanthanides, 2099
3-Phenyl-2,4-pentanedionates
iron(II),(III), 1421
Phenylphosphonate complexes
vanadium(I), 1351
Phosphazenes, organometallic chemistry, review, 119
Phosphazene - phosphines, 144
Phosphinate complexes
nickel(II), 1251
Phosphine complexes
cobalt(II), 921
iridium(I), 921,1329,1999
iridium(III), 921
iron, 2067
iron(II), 1089
manganese(I), 1879
molybdenum(II), 261,2111
nickel(II), 921
palladium(0), 1987
palladium(II), 921,1003,1541, 1619
platinum(II), 341,539,891,921, 1295,1541,2165
rhenium(-I), 1577
rhenium(V), 1169,1647
rhodium(I), 921,1329,1503,1727, 1999,2187
rhodium(III), 921
ruthenium(0), 1709
ruthenium(II), 1089,1383,1851
silver(I), 1695
tantalum(III),(IV), 741
tungsten(0), 337
tungsten(II), 1135
tungsten(VI), 163,1657
uranium(VI), 647
zirconium(III), 645
Phosphinedicarboxylates
barium, nickel(II), 1407
Phosphine oxide complexes
cadmium, 963
iron(II), 1325
uranium(VI), 647,1913
Phosphine selenide complexes
tellurium(IV), 219
Phosphine sulphide complexes
iridium(I), rhodium(I), 1329
Phosphite [organo] complexes
cobalt(I), 543
rhodium(I), 1503
Phosphonate complexes
vanadium(I), 1351
Phosphorane, 1295
Phosphorus
atoms and clusters in complexes, review, 351
cluster complexes, cobalt, nickel, 1491
P - P bond formation, 1823
Phosphorus(III)
aryl glycol silyl compounds, 915
aryl halogen compounds, 1295
Phosphorus(V)
in heteropolyanions, 519,931, 1681
Photoaquation, molybdenum(IV) cyanide complex, 269
Photocatalysis, $[Ru(dipy)_3]^{2+}$ in cobalt(III) substitutions, 1571
Photoelectron spectra
carbaboranes, 1559

metal - metal bonds, 685
Photolysis, tungsten(0) carbonyl phosphine piperidine complex, 337
Phthalocyanines, Co,Cu,Ni,Zn, 1463
Picolinate complexes
molybdenum(0),(II),(III), 1523
molybdenum(VI), 275
tungsten(VI), 275
4-Picoline complexes
iridium(III), 1885
rhodium(III), 1885
ruthenium(II), 1383
tungsten(VI), 1657
2-[&3,4]Picoline-N-oxide complexes, thallium(III), 315
Picrate complex, sodium, 1833

Pinacolate, tungsten(III), 1747
Piperidine complexes
ruthenium(II), 837
tungsten(0), 337
Platinum
detection with $SnCl_2$, 71
Platinum(0)
phosphorus cluster complexes, 378
Platinum(I)
phosphorus cluster complex, 355,360,376,379
Platinum(II)
amine ammonia azole carbonyl halide pyrazine pyridine pyridine-N-oxide complexes, 85
amine arsine chloride phosphine complexes, 921
azole hydride phosphine complex, 341
chloride diphosphine complex, 1797
chloride diphosphinoamine complexes, 1727
chloride hexaphosphine complex, 1803
chloride phosphine complexes, 1295
cyclometallathiazine phosphine complexes, 2165
diphosphine thiolate platinum(IV) complex, 1261
halide thiodiacetic acid complexes, 1065
organotrithiophosphate phosphine complex, 539
phosphazene complexes, 137
phosphine $S_2N_2^{2-}$ complexes, 1541
phosphine tropolonate complexes, 891
Platinum(II,IV)
ammonia diamine halide complexes, 225
Platinum(IV)
aminopolycarboxylate chloride complexes, 571
ether methyl selenoether thioether complexes, 549
halide methyl pyridine Schiff base complexes, 319
halide methyl thiolate palladium(II) platinum(II) complexes, 1261
methyl thiolate, 1157
Polarization
vanadium(V) chloride oxo pyridylthiourea complexes, 1807
Polarography
chromium(I) biphenyl complex, 2151
cobalt(III) Schiff base complexes, 995
copper(II) tetrasalicylaldimine complexes, 513
thallium(I) cyclohexylthioglycolate complexes, 401
Polyhedral borane anions, 619, 2129
Polymerization, cobalt(III) cyanide complexes, 1563
Poly(N-methacroyl-L-lysine complexes, Co,Cu,Ni,Zn, 633
Polyphosphates, 531,1863
Polyurethane foams, absorption of Pt(Rh)/Sn complex, 71
Porphyrin complexes
chromium(III), 1361
chromium(IV), 2191
cobalt(II), 1071
Potassium
crown amine - ether carboxylate complexes, 29
crown ether complexes, 417
crown ether thiocyanate complex, 577
macrocyclic complexes, 1161
nitrate, 483
Potentiometric titrations
acyl-lysine complexes, 633
crown amine - ether carboxylate complexes, 29
heteropolyanion formation, 1813
lanthanum hydroxide complexes, 1283
Praseodymium(III)
macrocyclic semicarbazone thiosemicarbazone water complexes, 1611
phenanthroline pyrazolone complexes, 957
Proline complexes
cobalt(II), copper(II), 2037
iron(III), 969
manganese(II), 2037
Prolylalanyl peptide complexes
copper(II), 45
Prolylprolylglycine complexes
copper(II), 45
Promethazine complexes
molybdenum(IV), 465
i[&n]-Propanethiolate, iron, 2085
Propane-2-ol, catalytic hydrogenation, 2187
Propene-3-ol, oxidation, 275
Propericiazine complexes
molybdenum(IV), 465
Propionate complexes
copper(II), 1533
indium(III), 507
rhodium(II), 461
vanadium(I), 1351
Propionitrile complexes
iron(II), 1089
Propionylpromazine complexes

molybdenum(IV), 465
i-Propoxides
aluminium, 1791
copper(II), 427
molybdenum(III), 255
tungsten(III), 255
tungsten(VI), 1551
zirconium(IV), 427
n-Propoxides
copper(II), zirconium(IV), 427
n-Propyls
tin(IV), 587
N-Propyliminodiacetate complexes
beryllium, 303
Purine complexes
ruthenium(III), 387
Pyrazinamide complexes
iron(II), 1757
Pyrazine complexes
iron(II), 1757
platinum(II), 85
ruthenium(II), 473
Pyrazolone complexes
actinides(III), lanthanides, 2099
neodymium(III), 957
praseodymium(III), 957
uranium(VI), 1913
Pyridine complexes
borane, 1183
cobalt(II), 1071
cobalt(III), 995
copper(II), 39,943,1053,1669, 2169
iridium(III), 1509,1885
iron(I), 1497
iron(II), 159,1027,1757
lanthanum, 1021
molybdenum(0),(II), 1523
molybdenum(III), 255,1523
molybdenum(VI), 275
nickel(II), 2169
platinum(II), 85
platinum(IV), 319
rhenium(I), 593
rhodium(III), 1885
ruthenium(II), 837,1383
ruthenium(III), 603,1009
thallium(III), 479
tin(IV), 393,1037
tungsten(III), 255
tungsten(VI), 275,1657
vanadium(IV), 455
vanadium(V), 1807
2-Pyridinecarboxaldehyde complexes,
platinum(IV), 319
tin(IV), 393
Pyridine-N-oxide complexes
platinum(II), 85
thallium(III), 315
Pyridoxal-5′-phosphate complexes
palladium(II), 329
Pyridoxamine complexes
Cd,Co,Ni,Zn, 1477
Pyridoxamine phosphate complexes
palladium(II), 329
2-(2′-Pyridyl)benzimidazole complexes, vanadium(IV), 455
2-Pyridylcarbonylmethylide complexes, rhenium(I), 593
4-Pyridylcyanide complex
ruthenium(II), 159
Pyridylthiourea complexes
vanadium(V), 1807
Pyrimidine complexes
borane, 1183
cobalt(II),(III), 2103
copper(II), 855
ruthenium(III), 387
Pyrolysis, indium(III) dibutyl compounds, 507
Pyrrole-2-carboxylate complexes
tin(IV), 587
Pyrrolyldithiocarbamate
molybdenum(II), 1523

Q

Quinoline complexes, cadmium, 963
8-Quinolinethiolate complexes
iron(I), 1497
Quinone oxime complexes
iron(II), 1027

R

γ-Radiolysis, germane, 441
Raffinose complexes, boron, 1415
Raman spectra
aminopolycarboxylates, 603
bromides, 543,849,1065
chlorides, 543,849,1059,1065
Co/Hg complexes, 543
cyanide complexes, 79
diazabutadiene complexes, 1059
heteropolymolybdate, 1681
iodides, 543
metal - metal bond, 2027
oxo complexes, 891
phosphite complexes, 543
pyridine complexes, 603
thiodiacetic acid, thioether complexes, 1065
thiolate, thione complexes, 603
tin(IV) binuclear complex, 397
Rhamnose compounds, tin(IV), 383
Rhenium(-I)
chloride diazenide phosphine thiophenoxide complexes, 1577
Rhenium(I)
acylpyridine bromide carbonyl complexes, 593
carbonyl chloride diselenide complex, 2073
carbonyl diarsine halide complexes, 1255
phosphorus cluster complexes 373
Rhenium(II)
diphosphine halide complexes, 729,907,1483
Rhenium(II,III)
diphosphine halide nitrile complexes, 1483
Rhenium(III)
chloride diphosphine complexes, 1925
diphosphine halide complexes, 715,907,1483
Rhenium(IV)
chloride oxo phenoxide salicylaldimine complex, 1647
Rhenium(V)
alkyl alkylimido aryl

cyclopentadienyl halide oxo compounds, 1169
chloride, 668
chloride methanol oxo phenoxide phosphine salicylaldimine complexes, 1647
methyl oxo lithium complex, 1081
oxo thiophenoxide complex, 1577
ternary oxide, 668
Rhenium(VI)
chloride oxo phenoxide salicylaldimine complex, 1647
Rhenium(VII)
alkyl alkylidyne chloride complex, 1599
hydrazide oxo thiophenoxide complex, 1577
trioxo(pentamethylcyclopentadienyl), review, 1165
Rhodium
phosphorus cluster complexes 370
Rhodium(0)
phosphorus cluster complex 355,359,376,379
Rhodium(I)
amidophosphazene phosphine complexes, 1999
amine arsine phosphine complexes, 921
aminophosphine chloride complexes, 2009
bromide nitrosyl phosphine phosphite complexes, 1503
carbonyl chloride diene diimine palladium(II) complexes, 1427
carbonyl diphosphine halide hydride manganese(I) complexes, 111
chloride diisocyanide polymeric complex, 2027
chloride phosphine complexes, 2187
diene phosphine phosphine-sulphide complexes, 1329
diphosphinoamine phosphine complex, 1727
dipyridyl complexes, 2187
hydride phosphine complexes, 2187
phosphorus cluster complex 352,363
Rhodium(II)
carboxylate macrocyclic tetramine thioether triamine complexes, 461
phosphazene complexes, 142
phosphazenocarborane complexes, 146
Rhodium(III)
amine arsine chloride phosphine complexes, 921
aminophosphine chloride complexes, 2009
ammine imidazole cobalt(III) complexes, 1347
arsine chloride cyclopentadienyl complexes, 1255
chloride diphosphinoamine complex, 1727
chloride mercaptoquinazolinone complexes, 1009
halide pyridine complexes, 1885
hydride complex on polymer, 345
pentasulphide $[S_5^{2-}]$ complex, 1775
quinone-oxime complexes, 1509
Ribose compounds, tin(IV), 383
Rubidium
macrocyclic complexes, 1161
Ruthenium
metallaboranes, 1941,1950
Ruthenium(0)
diphosphine phosphine complex, 1709
phosphazene complexes, 141
Ruthenium(I,II), formation in Ru(II) dimer complexes electroreduction, 473
Ruthenium(II)
amine chloride diphosphine nitrile phosphine complexes, 1089
aminophosphine carbonyl chloride complexes, 2009
ammine nitrile iron(II) complex, 159
arsine carbonyl chloride complexes, 1255
arsine cyclopentadienyl diimine diketonate dithiocarbamate halide phosphine pseudohalide pyridine stibine complexes, 1383
carbonyl chloride diamine piperidine pyridine thiol thiourea urea complexes, 837
carbonyl chloride dithioformate phosphine complex, 1851
chloride cymene diphosphine dipyridyl pyrazine complexes, 473
chloride diphosphine complexes, 1131
dipyridyl complexes, 1571,1621
phosphazene complexes, 139,143
phosphazenocyclopentadienyl complexes, 147
Ruthenium(II,III)
ammine chloride complex, 1711
Ruthenium(III)
amide azole chloride mercaptoquinazolinone phenanthroline pyridine water complexes, 1009
chloride macrocyclic tetramine sulphonate complexes, 1875
aminophosphine carbonyl chloride complexes, 2009
dipyridyl complexes, 651
ethylenediaminetetraacetate mercaptopyridine complexes, 603
nucleoside perchlorate purine pyrimidine complexes, 387

S

$S_2N_2H^-$ complexes
nickel(II), 939
Pd(II), Pt(II), 1541
S_3N^- complexes, platinum(II), 2165

$S_3N_3^-$ salt, 1541
Saccharose complexes, boron, 1415
Salicylaldimine complexes
  aluminium, 1097
  cadmium, cobalt(II), 1319
  cobalt(III), 995
  copper(II), 513,1319,1669
  iron(III), 2191
  molybdenum(VI), 275,1635
  nickel(II), 1319,1901
  rhenium(IV),(V),(VI), 1647
  uranium(VI), zinc, 1319
Salicylaldoxime complexes
  copper(II), 197
Samarium(II) organometallics, 807
Schiff base complexes
  aluminium, 1097
  cadmium, 1319,1653
  cobalt(II), 205,1319,2103
  cobalt(III), 2103
  copper(II), 205,289,1319,2169
  iron(III), 295,2191
  nickel(II), 289,1017,1319,1653, 2169
  palladium(II), 1003
  platinum(IV), 319
  praseodymium(III), 1611
  uranium(VI), 205,1319
  zinc, 1319,1653
Selenium complexes
  cobalt, nickel, 1491
Selenium(II) halide complexes, 849
Selenoether complexes
  chromium(0), 1785
  platinum(IV), 549
  tungsten(0), 1785
Semicarbazone complexes
  aluminium, 1097
  praseodymium(III), 1611
Serine complexes
  copper(II), 1669
Silicon
  aryl methyl oxo compounds, 435
  in heteropolyanions, 519
Siloxanes, 435
Siloxy compounds, aluminium, 1097
Silver(I)
  chloride phosphine osmium(IV) complex, 1695
  crown ether complexes, 535
  diaminoazobenzene complex, 2137
  nitrate complex, 1885
  solubilization, Chinese method, 483
Silver(I,III) oxide, 1309
Silyl, phosphorus(III), 915
Sodium
  crown amine - ether carboxylate complex, 29
  crown ether complexes, 417
  macrocyclic complexes, 1161
  organo compounds, reactions with phosphazenes, 132
  phenanthroline picrate complex, 1833
Solubility product
  arsenic(V) hydroxyapatite, 1049
Solvation, cobalt(III) ammine chloride sulphoxide water complexes, 1337
Solvent extraction
  actinide(III) pyrazolone complexes, 2099
  alkali metal macrocyclic complexes, 1161
  cadmium phosphine oxide quinoline complexes, 963
  copper(II) bromovalerate, 1203
  copper(II) macrocyclic complexes, 289
  copper(II) salicylaldoximes, 197
  iron(III) carboxylates, 2155
  lanthanide phenanthroline pyrazolone complexes, 957
  lanthanide pyrazolone complexes, 2099
  lead(II) chloride complexes, 563
  mercury azole sulphonate complexes, 1209
  nickel(II) diketonate, dithiocarbamate, 497
  nickel(II) macrocyclic complexes, 289
  nickel(II) phosphinate complexes, 1251
  palladium(II) diaminoazobenzene complex, 2137
  palladium(II) - tributyl phosphate, 1125
  uranium(VI) dioxo acetate chloride phosphine complexes, 647
  zinc azole sulphonate complexes, 1209
Sorbose compounds, tin(IV), 383
Spectrophotometric titrations
  cobalt(II) azole phenoxide complexes, 1993
Spiroborate complexes, 2119
Stibine complexes
  ruthenium(II), 1383
"Strati-bis" complexes
  copper(II), 513
Strontium
  crown amine - ether carboxylate complex, 29
  crown ether complexes, 535
Structural methods, book review, 1715
Substitutions
  iridium(III), 101
Sulphamate complexes
  vanadium(I), 1351
Sulphate complexes
  cerium(IV), uranium(VI), 285
  vanadium(IV), 455,841
Sulphite complexes
  cobalt(II), 1717
  ruthenium(II), 1621
Sulphonate complexes
  cobalt(III), 1875
  mercury, 1209
  ruthenium(III), 1875
  zinc, 1209
Sulphoxide complexes
  cobalt(III), 1337
  copper(II), 1669
  nickel(II), 1313
  tin(IV), 1037
  uranium(VI), 1913
Sulphur complexes
  cobalt, nickel, 1491
Sulphur - nitrogen complex
  nickel(II), 939

T

Tantalum(III),(IV)
chloride hydride phosphine complexes, 741
Tantalum(V)
alkyl phenoxides, 2019
chloride ether oxo phenoxide complexes, 1765
Tautomerism, thiocarbazones, 13
Technetium(V)
diselenolate oxo complex, 1547
glycolate oxo complex, 1707
Tellurium(IV)
aryl carboxylate chloride phosphine-selenide complexes, 219
Terbium(III) pyrazolone complexes, 2099
Terpyridine complexes
copper(II), 1533
Tetrabenzo-18-crown-6 complexes
hydrogen ion, 1469
Tetrabutylammonium salts, 489
Tetrachloro-1,2-benzoquinone, 1823
Tetracyanobiimidazole complexes
platinum(II), 341
Tetrafluorobenzobarrelene complexes, rhodium(I), 1427
Tetrahydrofuran complexes
europium(II), 1143
lithium, magnesium, 1081
molybdenum(II), 2111
molybdenum(III,IV),(V), 2181
vanadium(II), 1433
ytterbium(II), 1143
Tetrakis(2-benzimidazolylmethyl)-diaminoethane complexes,
nickel(II), 1457
Tetrakis(methylthio)methane complex, chromium(0), 1785
1,2,3,4-Tetrakis(salicylideneamino)-2,3-bis(phenylbutane) complexes, copper(II), 513
Tetrakis(4-trimethylammoniumphenyl)porphyrin complex, chromium(III), 1361
Tetramethyldiphosphine disulphide complexes, Ir(I), Rh(I), 1329
Tetramethylethylenediamine complexes,
cobalt(II), 1603
lithium, 987
nickel(II), 1603
tungsten(VI), 1657
2,2,6,6-Tetramethyl-3,5-heptanedionates. iron(II),(III), 1421
Tetramethylthiourea complexes
molybdenum(II), 2081
ruthenium(II), 837
tungsten(II), 2081
Tetramine complexes
cobalt(III), 1875
copper(II), 1291
rhodium(II), 461
ruthenium(III), 1875
Tetraminophthalocyanines
Co,Cu,Ni,Zn, 1463
Tetraphenylporphyrin complexes
chromium(IV), 2191
cobalt(II), 1071
Tetrapropylammonium salts, 489
Tetrasulphide [S_4^{2-}] complexes
nickel(II), 627
TGA
aluminium magnesium hydroxide, 1587
arsenic(V) hydroxyapatite, 1049
copper(II) carboxylate terpyridine water complexes, 1533
copper(II) carboxylate water complexes, 1869
copper(II) nitrosoresorcinol complexes, 1033
gold(III) chloride complex, 2077
indium(III) dibutyl compounds, 507
iron(II) cyanide pyrazine pyridine complexes, 1757
iron(III) aminoacid chloride hydroxide complexes, 969
molybdenum(IV) aminoalkylphenothiazine oxo complexes, 465
molybdenum(VI) oxo salicylaldimine complex, 1635
phthalocyanine complexes, 1463
silver(I,III) oxide, 1309
spinel formation, 1791
tin(IV) dicarboxylate methyl complexes, 1639
vanadium(IV) azole halide nitrate pyridine sulphate complexes, 455
vanadium(IV) biuret oxo sulphate complexes, 841
Thallium(I)
cyclohexylthioglycolate complexes, 401
Thallium(III)
chloride cycloheptatrienyl complex, non-formation, 479
chloride pyridine complex, 479
halide pyridine-N-oxide complexes, 315
reaction with chromium(VI), 1721
Thenoyltrifluoroacetonate
nickel(II), 497
Thio compounds
molybdenum(IV), 1741
molybdenum(VI), 1445,2085
tungsten(IV), 1115
tungsten(VI), 1445,1551
vanadium(V), 1445
Thiocarbazone, 13
Thiocyanate, reaction with chromium(III) complex, 1361
Thiocyanate complexes
cobalt(II), 1075
cobalt(III), 181
copper(II), 39
iron(II), 1191,1325
iron(III), 1191
mercury, 1273
molybdenum(II), 95
nickel(II), 1075,1407
potassium, 577
ruthenium(II), 1383,1621
zinc, 1075
Thiodiacetic acid complexes
Pd(II), Pt(II), 1065
Thiodiglycolate, tin(IV), 1639
3,3′-Thiodipropionic acid

complexes, palladium(II), 447
Thioether complexes
cadmium, 881
chromium(0), 1785
cobalt(II), 1843
copper(II), 943
nickel(II), 1843
palladium(II), 447,1065,1391
platinum(II), 1065
platinum(IV), 549
rhodium(II), 461
tungsten(0), 1785
Thiol complexes
ruthenium(II), 837
Thiolates
aluminium, 1097
cadmium, 1653
iron, 2085
iron(-I), 1147
nickel(II), 1653
Pd(II), Pt(II), 1261
platinum(IV), 1157,1261
ruthenium(III), 603
thallium(I), 401
zinc, 1653
Thiomolybdate, iron, 2085
Thione complexes
lead(II), 2177
ruthenium(III), 603
2-Thiophenacetate, tin(IV), 587
Thiophenoxides
iron, 1445,2085
molybdenum(0), 1523
platinum(IV), 1157
rhenium(-I),(V),(VII), 1577
Thiosemicarbazide complexes
iron(II), 1703
nickel(II), 1901
Thiosemicarbazone complexes
aluminium, 1097
copper(II), 39
iron(II), 1703
praseodymium(III), 1611
Thiourea complexes
on cellulose, 1197
molybdenum(II), 2081
ruthenium(II), 837
tungsten(II), 2081
vanadium(V), 1807
Thulium(III) pyrazolone
complexes, 2099
Thymidine, thymine complexes
ruthenium(III), 387
Tin(II)
chloride, detection of Pt by, 71
Tin(IV)
aldehyde chloride ketone methyl phenyl pyridine complexes, 393
alkyl amide aryl chloride pyridine sulphoxide complexes, 1037
alkyl aryl carboxylates, 587
alkyl carbohydrate compounds, 383
amine dicarboxylate ether hydroxide methyl complexes, 1639
chloride ruthenium(II) complex, 1383
dibutyl oxide, 507
organo compounds, book review 660
phenyl trifluoroacetates, 397
Titanium(IV)
alkyl phenoxides, 2019
chloride dithiophosphates, 1681
organo compounds, book review, 660
phosphazene complexes, 137
4-Tolylimide complexes
chromium(IV), iron(III), 2191
Topology, hetero- and isopolyanions, 309
Triamine complexes
copper(II), 1053
lithium, 987
rhodium(II), 461
Tribenzo-18-crown-6 complexes
hydrogen ion, 1469
2,4,6-Tri-t-butylphenyl
phosphorus(III), 915
Tri-n-butylphosphate, solvent extraction of palladium(II), 1125
Tri-n-butylphosphate complexes
cadmium, 963
uranium(VI), 1913
Tributylphosphine oxide complexes
uranium(VI), 647
Tributylphosphine selenide complexes, tellurium(IV), 219
Tributylphosphite complexes
uranium(VI), 647
Trichloroacetate
cobalt(II), 1603
Trichlorostannate complexes
ruthenium(III), 1383
Tridodecylammonium salts, 563
Triethylenetetramine complexes
copper(II), 1291
Triethylphosphine complexes
palladium(II), 1541
platinum(II), 1541,2165
zirconium(III), 645
Triethylphosphine sulphide complexes, Ir(I), Rh(I), 1329
Trifluoroacetate complexes
nickel(II), 1603
tellurium(IV), 219
tin(IV), 397
vanadium(I), 1351
Trifluoromethylsulphonate complexes, cobalt(III), ruthenium(III), 1875
1,1,1-Trifluoro-2,4-pentanedionates, iron(II),(III), 1421
Trihexylammonium salts, 563
Triketonate complexes
copper(II), 1473
Trimethylacetate complexes
rhodium(II), 461
Trimethylphosphine complexes
iron(II), 1089
molybdenum(II), 2111
palladium(0), 1987
rhenium(V), 1169
ruthenium(0), 1709
ruthenium(II), 1089
tantalum(III),(IV), 741
tungsten(II), 1135
tungsten(VI), 163,1657
Trimethylphosphine sulphide complexes, Ir(I), Rh(I), 1329
Trimethylsiloxide

aluminium, 1097
Trimethylsilyl
phosphorus(III), 915
Trimethylsilylmethyls
molybdenum(III), 255
rhenium(VII), 1599
titanium(IV), 2019
tungsten(III), 255
Trimethylsilylmethylidynes
molybdenum(III), 255
rhenium(VII), 1599
tungsten(III), 255
Trioctylammonium salts, 563
Tri-n-octylphosphine oxide
complexes
cadmium, 963
uranium(VI), 1913
1,4,10-Trioxa-7,13-diazacyclopentadecane-N,N'-diacetate
complexes, 29
Triphenylarsine complexes
ruthenium(II), 1383
Triphenylarsine oxide, 275,2077
Triphenylphosphine, reaction with
molybdenum nitrosyl complexes, 1523
Triphenylphosphine complexes
iridium(I), 921,1329,1999
palladium(II), 1003,1541
platinum(II), 341,539,891,2165
rhenium(-I), 1577
rhodium(I), 921,1329,1727,1999, 2187
ruthenium(II), 1383,1851
silver(I), 1695
tungsten(0), 337
Triphenylphosphine oxide, 275
Triphenylphosphine oxide
complexes, uranium(VI), 647
Triphenylphosphine selenide
complexes, tellurium(IV), 219
Triphenylphosphine sulphide
complexes, Ir(I), Rh(I), 1329
Triphenylphosphite complexes
cobalt(I), 543
Triphenylstibine complexes
ruthenium(II), 1383
Triphosphine complexes
cobalt, nickel, 1491
Tripnictide/-chalcogenide
complexes, cobalt, nickel, 1491
Tri-i-propylphosphine complexes
rhodium(I), 2187
Tris(diphenylphosphinomethyl)ethane complexes, cobalt, nickel, 1491
Tris(methylthio)methane complexes
chromium(0), tungsten(0), 1785
Trithiazyltrialkoxides, 2161
Tri(4-tolyl)phosphine selenide
complexes, tellurium(IV), 219
Tropolonates, Ir,Mo,Os,Pt,W, 891
Tryptophan complexes
copper(II), 1669
iron(III), 969
Tungsten
alkyl carbonyl cyclopentadienyl iron complexes, 2067
metallacarbaboranes, 1943
Tungsten(0)
carbonyl complexes, 503
carbonyl diimine complexes, 1673
carbonyl diimine halide mercury complexes, 1781
carbonyl diphosphine complex, 1797
carbonyl phosphine complex, 337
carbonyl selenoether thioether complexes, 1785
phosphazene complexes, 138,146
phosphorus cluster complexes, 366,373
Tungsten(I)
phosphorus cluster complex, 368
Tungsten(II)
acetonitrile carbonyl chloride thiourea complexes, 2081
carbonyl diphosphine iodide phosphine complexes, 1135
diphosphine halide complexes, 729
heteronuclear metal - metal bonds, 793
phosphazene complexes, 140,143
Tungsten(III)
acetate alkoxide alkyl alkylamide alkylidyne diamine diphosphine pyridine complexes, 255
alkoxide dimers, reactions with alkynes, review, 783
alkoxide,alkylamide dimers, 1677
alkoxide, pinacolate, 1747
phosphorus cluster complex, 363
Tungsten(IV)
dithiophosphate thio compound, 1115
Tungsten(V)
chloride, 668
cyanide complex, 641
methyl oxo magnesium compound, 1081
Tungsten(VI)
alkoxide alkylimide amine chloride diamine dipyridyl isocyanide oxo phosphine pyridine complexes, 1657
alkoxide amine arylimide chloride phosphine complexes, 163
alkoxide thio complexes, 1551
alkyl bromide oxo aluminium complex, 1839
amine carboxylate oxo oxyquinoline peroxide phenoxide pyridine water complexes, 275
cyclopentadienyl halide oxo complexes, non-formation, 281
heteropolyanions, 213,519,931, 1513,1813
as heteropolyanion, 1813
isopolyanions, 519,1919
oxo tropolonate complexes, 891
thio iron complexes, 1445
Tyrosine complexes
copper(II), 845,1669

U

Uracil complexes
cobalt(II),(III), 2103
ruthenium(III), 387

Uranium(III)
borohydride crown ether complexes, 189
Uranium(VI)
dioxo acetate amide chloride phosphine phosphine-oxide complexes, 647
dioxo acetate azole chloride nitrate sulphate complexes, 285
dioxo acetate diamine nitrate oxime Schiff base complexes, 205
dioxo crown ether complex, 189
dioxo phosphine oxide pyrazolone sulphoxide complexes, 1913
dioxo salicylaldimine Schiff base complex, 1319
Uridine complexes
ruthenium(III), 387

V

Valine complexes, iron(III), 969
Vanadium(0) carbonyl diphosphine complex, 1351
Vanadium(I) acetonitrile azide carbonyl carboxylate chloride cyanide diphosphine phosphonate sulphamate complexes, 1351
Vanadium(II) chloride ether complexes, 1433
Vanadium(IV)
azole halide nitrate pyridine sulphate complexes, 475
biuret oxo sulphate complexes, 841
Vanadium(V)
amide thio iron complexes, 1445
chloride oxo pyridylthiourea complexes, 1807
diaminoazobenzene complex, 2137
heteropolyvanadates, 1813
in heteropolyanions, 519,1813
Vitamin B_6 complexes
palladium(II), 329
Volume of activation
chromium(III) substitutions, 1361

W

Water complexes
barium, 1407
cadmium, 881
chromium(III), 1239,1361
cobalt(II), 897,931,1603
cobalt(III), 1337,1563
copper(II), 855,897,1319,1533, 1669,1869,1971
europium(III), 1971
iron(II), 1325
iron(III), 1971
lanthanum, lithium, 1971
manganese(II), 897,1699
molybdenum(IV), 465
molybdenum(VI), 275
nickel(II), 897,1457,1603
praseodymium(III), 1611
ruthenium(III), 1009
tungsten(VI), 275
zinc, 881,1111
Wheat sauce, in solubilisation of silver, 483

X

Xα calculations, metal - metal bonds, 685,695,741
Xanthate complexes
iron(I), 1497
X-ray crystal structures
aluminium bromide oxo tungsten(VI) complex, 1839
barium phosphinedicarboxylate water complex, 1407
bismuth(III) chloride iron(0) complex, 2031
cadmium carboxylate water complex, 881
catecholdicarboxylate water complexes, 871
chromium(III) ammine chloride water complex, 1239
cobalt(I) phosphite mercury(I) complex, 543
cobalt(II) amide dehydroacetic acid complex, 1235
cobalt(II) carboxylate diamine water nickel(II) complex, 1603
cobalt(II) heteropolytungstate water complex, 931
cobalt(III) acetate pyrimidine Schiff base complex, 2103
cobalt(III) diamine hydroxoaqua nitrite thiocyanate complexes, 181
copper(II) azole bromide ether complex, 1149
copper(II) carboxylate ether pyrimidine water complexes, 855
copper(II) carboxylate terpyridine water complexes, 1533
copper(II) carboxylate water complex, 881
copper(II) nitrosoalkylhydoxylamine complex, 1375
cyclotetraphosphine, 1295
diazadiphosphacyclopentanones, 1823
heteropolytungstate, 931
iridium(II) amidinate complex, 1625
iridium(III) chloride pyridine quinone-oxime complex, 1509
iron molybdenum(VI) carbonyl thio complex, 1445
iron(0) carbonyl cyclopentadienyl bismuth(III) complex, 2031
iron(II) carbonyl mercurithiocyanate complex, 1273
iron(II) diphosphine nitrile complexes, 1089
iron(III) nitrosoalkylhydroxylamine complex, 1375
isoprenaline, 25
lead(II) nitrate thione complex, 2177
lithium amine diphenylphosphide complexes, 987
magnesium ether oxo tungsten(V) compound, 1081
Magnus salts, 225

molybdenum(0) nitrosyl picolinate, 1523
molybdenum(II) acetate chloride phosphine complex, 2111
molybdenum(II) carbonyl diphosphine thiocyanate complex, 95
molybdenum(II) carbonyl diphosphoxane halide complexes, 1103
molybdenum(II) carbonyl iodide phosphine complex, 261
molybdenum(III,IV) acetate ether iodide oxo complex, 2181
molybdenum(IV) chloride diphosphine thio complex, 1741
molybdenum(V) ether iodide oxo complex, 2181
molybdenum(VI) oxo tropolonate complexes, 891
nickel(II) azole chloride thioether complexes, 1843
nickel(II) carboxylate diamine water cobalt(II) complex, 1603
nickel(II) diaminetetrazole complexes, 1457
nickel(II) diphosphine nitrate complex, 1223
nickel(II) dithiolate complex, 863
nickel(II) ketoimine salicylaldimine thiosemicarbazide complexes, 1901
nickel(II) phosphinedicarboxylate complex, 1407
osmium(II) chloride diphosphine complexes, 1131
osmium(II,III) chloride oxopyridine complex, 1439
osmium(IV) chloride silver(I) complex, 1695
palladium(0) carbonyl phosphine complex, 1987
palladium(II) aniline chloride complex, 1059
phosphorus(III) aryl glycol silyl compounds, 915
platinum(II) azole hydride phosphine complex, 341
platinum(II) chloride hexaphosphine complex, 1803
platinum(II) chloride phosphine complex, 1295
platinum(II) cyclometallathiazine phosphine complexes, 2165
platinum(II) diphosphine thiolate platinum(IV) complex, 1261
platinum(II) organotrithiophosphate phosphine complex, 539
platinum(IV) chloride methyl thiolate platinum(II) complex, 1261
platinum(IV) methyl thiolate, 1157
rhenium(-I) chloride diazenide phosphine thiophenoxide complexes, 1577
rhenium(I) carbonyl chloride diselenide complex, 2073
rhenium(II) chloride diphosphine complex, 907
rhenium(V) alkyl halide oxo phosphine complexes, 1169
rhenium(V) oxo thiophenoxide complex, 1577
rhenium(VII) alkyl alkylidyne chloride complex, 1599
rhenium(VII) cyclopentadienyl oxo compound, 1165
rhenium(VII) hydrazide oxo thiophenoxide complex, 1577
rhodium(I) bromide nitrosyl phosphine phosphite complexes, 1503
rhodium(III) pentasulphide complex, 1775
ruthenium(II) carbonyl chloride dithioformate phosphine complex, 1851
ruthenium(II) chloride diphosphine complexes, 1131
ruthenium(II,III) ammine chloride complex, 1711
$S_3N_3^-$ salt, 1541
silver(I) chloride phosphine osmium(IV) complex, 1695
sodium phenanthroline picrate complex, 1833
tantalum(III),(IV) chloride hydride phosphine complexes, 741
tantalum(V) chloride oxo phenoxide complexes, 1765
technetium(V) diselenolate oxo complex, 1547
titanium(IV) alkyl aryl phenoxides, 2019
trithiazyltrialkoxides, 2161
tungsten(II) carbonyl diphosphine iodide complex, 1135
tungsten(III) alkoxide, pinacolate, 1747
tungsten(IV) dithiophosphate thio compound, 1115
tungsten(V) methyl oxo magnesium compound, 1081
tungsten(VI) alkoxide arylimide chloride complex, 163
tungsten(VI) alkoxide thio complexes, 1551
tungsten(VI) alkyl bromide oxo aluminium complex, 1839
uranium(III) borohydride crown ether complex, 189
uranium(VI) dioxo acetate amide chloride complex, 647
vanadium(0) carbonyl diphosphine complex, 1351
vanadium(I) carbonyl carboylate diphosphine nitrile complex, 1351
vanadium(II) chloride ether complexes, 1433
zinc carboxylate water complex, 881
zinc chloride hexamethylenetetramine water complex, 1111
zirconium(III) alkene halide phosphine complexes, 645
X-ray diffraction
aluminium magnesium hydroxide,

1587
arsenic(V) hydroxyapatite, 1049
heterobinuclear complexes, 897
hydrogen dinitrate anion salts, 1885
iron(III) nitrosyl oxo Schiff base complexes, 295
metallophthalocyanines, 1463
rhodium(I) chloride diisocyanide polymeric complex, 2027
silver(I) nitrate complexes, 1885
spinel formation, 1791

Y

Ylides, 593
Ytterbium(II)
carbazolyl ether indolyl phenoxide complexes, 1143
organometallics, 807
Ytterbium(III)
bipyrimidine chloride complexes, 175
Yttrium
bipyrimidine chloride nitrate complexes, 175

Z

Zinc
aminoacid complexes, 633
azole sulphonate complexes, 1209
biochemistry, review, 61
carboxylate catecholate complexes, 53
carboxylate water complex, 881
catecholdicarboxylate water complexes, 871
chloride hexamethylenetetramine water complexes, 1111
crown amine-ether carboxylate complexes, 29
cysteine nitrilotriacetate thiourea complexes on cellulose, 1197
glycylglycine imidazole pyridoxamine complexes, 1477
halide hydrazone thiocyanate complexes, 1075
heteropolymolybdates, 213
hydroxycarboxylates, 1517
mercaptocarboxylate complexes, 613
nitrilotri(methylenephosphonate) complexes, 1247
organo compounds, reactions with phosphazenes, 133
phosphazene complexes, 138
phthalocyanines, 1463
salicylaldimine Schiff base complexes, 1319
Schiff base thiolate complexes, 1653
Zirconium(III)
alkene halide phosphine complexes, 645
Zirconium(IV)
alkoxide copper(II) compounds, 427

Printed in Great Britain at Aberdeen University Press